

## Cable for programming - RAD-CABLE-USB - 2903447

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Radioline - USB data cable for communication between the PC and Radioline devices, energy supply for diagnostics and configuration via the USB port of the PC, cable length: 2 m / 6.5 ft

### Your advantages

- Power supply for diagnostics and configuration via the USB port of the PC



### Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 739429
GTIN	4046356739429
Weight per Piece (excluding packing)	64.300 g
Custom tariff number	85444290
Country of origin	Germany

### Technical data

#### Note

Utilization restriction	EMC: class A product, see manufacturer's declaration in the download area
-------------------------	---

#### Dimensions

Fixed cable length	2 m
--------------------	-----

#### Ambient conditions

Ambient temperature (operation)	-25 °C ... 70 °C (-13 °F ... 158 °F)
Ambient temperature (storage/transport)	-40 °C ... 85 °C (-40 °F ... 185 °F)

#### General

Connection 1	PC side
	IFS (male)
Connection method	USB 2.0 Fullspeed

## Cable for programming - RAD-CABLE-USB - 2903447

### Technical data

#### General


Note	serial
Connection 2	Device side
	USB type A (male)
Connection method	IFS data port

#### Standards and Regulations

Electromagnetic compatibility	Conformance with EMC Directive 2014/30/EU
Noise emission	EN 61000-6-4
Noise immunity	EN 61000-6-2

### Drawings

Schematic diagram



#### Example application

<https://www.phoenixcontact.com/gb/products/2903447>



## Cable for programming - RAD-CABLE-USB - 2903447

### Classifications

#### eCl@ss

eCl@ss 10.0.1	19179290
eCl@ss 4.0	27370800
eCl@ss 4.1	27370800
eCl@ss 5.0	27370800
eCl@ss 5.1	27370800
eCl@ss 6.0	27379200
eCl@ss 7.0	19059205
eCl@ss 8.0	19059205
eCl@ss 9.0	19179290

#### ETIM

ETIM 3.0	EC001423
ETIM 4.0	EC001408
ETIM 5.0	EC001408
ETIM 6.0	EC000310
ETIM 7.0	EC000310

#### UNSPSC

UNSPSC 6.01	30211506
UNSPSC 7.0901	43223108
UNSPSC 11	39121008
UNSPSC 12.01	43223108
UNSPSC 13.2	43223108

### Approvals

#### Approvals

---

Approvals

EAC

---

Ex Approvals

---

#### Approval details

EAC		EAC-Zulassung
-----	--	---------------

---

<https://www.phoenixcontact.com/gb/products/2903447>



Phoenix Contact 2019 © - all rights reserved  
<http://www.phoenixcontact.com>



# SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

# [www.scatts.co.uk](http://www.scatts.co.uk)