

Inline function terminal - IB IL INC-IN-PAC - 2861755

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Inline measurement terminal for position encoder, complete with accessories (connector and labeling field), 1 input for incremental encoder with rectangular signal (symmetrical or asymmetrical), 3 digital inputs 24 V DC, 3-conductor connection system

Product Description

The terminal is designed for use within an Inline station.

Both symmetrical (RS-422) and asymmetrical (5 V DC to 24 V DC) encoders with rectangular signals can be connected to the terminal block. Rotary transducers or length measurement systems can be read in with or without a Z pulse.

In order to increase the operational safety, all encoder inputs are monitored for cable breaks. Using a special operating mode, the terminal supports distance coded incremental encoders, with which the homing run can be reduced to very short distances.


In addition to the input for the encoder signals, the terminal also has three digital 24 V DC inputs, one input for the home position switch, and two inputs for limit position switches. Thus 2 or 3-conductor sensors can be connected. Input I3 can also be used as an "open collector" output.

Your advantages

- ✓ Supports incremental encoders with symmetrical signals in accordance with EIA standard RS-422 (line driver)
- ✓ Supports incremental encoder with asymmetrical signals (push-pull)
- ✓ Supplies encoder with 5 V or 24 V voltage
- ✓ Three digital inputs for connecting two limit switches or a home position switch
- ✓ Maximum input frequency of 300 kHz
- ✓ 25-bit actual position value
- ✓ Precise evaluation via 1x, 2x, or 4x sampling
- ✓ Direction of rotation indicator via LED



Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 899912
GTIN	4017918899912
Weight per Piece (excluding packing)	143.000 g
Custom tariff number	85389091
Country of origin	Germany

Inline function terminal - IB IL INC-IN-PAC - 2861755

Technical data

Note

Utilization restriction	EMC: class A product, see manufacturer's declaration in the download area
-------------------------	---

Dimensions

Width	24.4 mm
Height	140.5 mm
Depth	71.5 mm

Interfaces

Interface	Inline local bus
Connection method	Inline data jumper

Power supply

Typical current consumption	70 mA
I/O voltage	24 V DC
Encoder supply voltage	5 V DC
	24 V DC
Encoder supply current	max. 250 mA
Drawing encoder supply voltage	Main circuit U_M

Electrical isolation

Test section	7.5 V supply (bus logics), I/O 500 V AC 50 Hz 1 min.
	7.5 V supply (bus logics) / functional earth ground 500 V AC 50 Hz 1 min.
	24 V supply (I/O) / functional earth ground 500 V AC 50 Hz 1 min.

Incremental encoder input

Number of inputs	1
Input frequency (24 V)	0 Hz ... 300 kHz
Input frequency (5 V)	0 kHz ... 300 kHz
Encoder signals	Symmetrical and asymmetrical encoders

Inputs

Number of inputs	3
Connection technology	3-wire

General

Weight	143 g
--------	-------

Inline potentials

Designation	Communications power (U_L)
Supply voltage	7.5 V DC (via voltage jumper)
Current consumption	max. 70 mA
Designation	Main circuit supply (U_M)
Supply voltage	24 V DC (via voltage jumper)

Inline function terminal - IB IL INC-IN-PAC - 2861755

Technical data

Inline potentials


Supply voltage range	19.2 V DC ... 30 V DC (including all tolerances, including ripple)
Current consumption	typ. 340 mA
	max. 1 A

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"


Drawings

Connection diagram



Inline function terminal - IB IL INC-IN-PAC - 2861755

Dimensional drawing



Classifications

eCl@ss

eCl@ss 4.0	27250300
eCl@ss 4.1	27250300
eCl@ss 5.0	27250300
eCl@ss 5.1	27242600
eCl@ss 6.0	27242600
eCl@ss 7.0	27242605
eCl@ss 8.0	27242605
eCl@ss 9.0	27242605

ETIM

ETIM 2.0	EC001433
ETIM 3.0	EC001601
ETIM 4.0	EC001601
ETIM 5.0	EC001601
ETIM 6.0	EC001601
ETIM 7.0	EC001601

UNSPSC

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404



Inline function terminal - IB IL INC-IN-PAC - 2861755

Classifications

UNSPSC

UNSPSC 11	43172015
UNSPSC 12.01	43201404
UNSPSC 13.2	32151602

Approvals

Approvals

Approvals

UL Listed / cUL Listed / EAC / UL Listed / cUL Listed / EAC

Ex Approvals

UL Listed / cUL Listed / UL Listed / cUL Listed / cULus Listed

Approval details

UL Listed		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	FILE E 140324
-----------	--	---	---------------

cUL Listed		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	FILE E 140324
------------	--	---	---------------

EAC		EAC-Zulassung
-----	--	---------------

UL Listed		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	FILE E 140324
-----------	--	---	---------------

cUL Listed		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	FILE E 140324
------------	--	---	---------------

EAC		EAC-Zulassung
-----	--	---------------

<https://www.phoenixcontact.com/gb/products/2861755>



Phoenix Contact 2019 © - all rights reserved
<http://www.phoenixcontact.com>



SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk