

EU-Declaration of conformity

en/de

EU-Konformitätserklärung

Pepperl+Fuchs GmbH
Lilienthalstraße 200
68307 Mannheim
Germany
Phone +49 621 776-0
Fax +49 621 776-1000

No. / Nr.: DOC-1367A
Date / Datum: 2016-12-07

Copyright Pepperl+Fuchs
www.pepperl-fuchs.com



■ Declaration of conformity / Konformitätserklärung

We, Pepperl+Fuchs GmbH declare under our sole responsibility that the **products** listed below are in conformity with the listed **European Directives** and **standards**.

Die Pepperl+Fuchs GmbH erklärt hiermit in alleiniger Verantwortung, dass die unten gelisteten **Produkte** den genannten **Europäischen Richtlinien und Normen** entsprechen.

■ Products / Produkte

Product / Produkt	Item number	Description / Beschreibung
NBB15-30GM50-E2-3G-3D	123968	Inductive sensor
NBB15-30GM50-E2-V1-3G-3D	211275	Inductive sensor
NBB15-30GM50-E3-V1-3G-3D	225846	Inductive sensor
NBB2-12GM40-Z0-3G-3D	212671	Inductive sensor
NBB2-12GM60-A2-3G-3D	211261	Inductive sensor
NBB2-8GM40-E2-V1-3G-3D	129853	Inductive sensor
NBB4-12GM50-E2-3G-3D	212060	Inductive sensor
NBB4-12GM50-E2-V1-3G-3D	212426	Inductive sensor
NBB5-18GM40-Z0-3G-3D	183052	Inductive sensor
NBB5-18GM60-A2-V1-3G-3D	212061	Inductive sensor
NBB8-18GM50-E2-3G-3D	123969	Inductive sensor
NBB8-18GM50-E2-3G-3D-5M	180591	Inductive sensor
NBB8-18GM50-E2-V1-3G-3D	129854	Inductive sensor
NBB8-18GM60-A2-V1-3G-3D	212062	Inductive sensor
NCB10-30GM40-Z0-3G-3D	211271	Inductive sensor
NCB10-30GM40-Z0-V1-3G-3D	183050	Inductive sensor
NCB10-30GM40-Z1-3G-3D	211272	Inductive sensor
NCB2-12GM40-E2-3G-3D	211255	Inductive sensor
NCB2-12GM40-E2-3G-3D-5M	211256	Inductive sensor
NCB2-12GM40-Z0-V1-3G-3D	183042	Inductive sensor
NCB5-18GM40-Z0-3G-3D	211265	Inductive sensor
NCB5-18GM40-Z0-3G-3D-10M	211266	Inductive sensor
NCB5-18GM40-Z0-V1-3G-3D	211267	Inductive sensor
NCB5-18GM40-Z1-3G-3D	211268	Inductive sensor
NCN15-30GM40-Z0-3G-3D	211273	Inductive sensor
NCN4-12GM40-E2-3G-3D	211258	Inductive sensor
NCN4-12GM40-E2-V1-3G-3D	211259	Inductive sensor

NCN4-12GM40-Z0-3G-3D	211260	Inductive sensor
NCN8-18GM40-Z0-3G-3D	211269	Inductive sensor
NCN8-18GM50-E2-3G-3D	211262	Inductive sensor
NCN8-18GM50-E2-3G-3D-5M	211263	Inductive sensor
NJ10-30GM50-E2-3G-3D	123962	Inductive sensor
NJ10-30GM50-E2-3G-3D-5M	200108	Inductive sensor
NJ10-30GM50-E2-V1-3G-3D	212670	Inductive sensor
NJ15-30GM50-E2-3G-3D	123961	Inductive sensor
NJ15-30GM50-E2-V1-3G-3D	129851	Inductive sensor
NJ5-18GM50-E2-3G-3D	121899	Inductive sensor
NJ5-18GM50-E2-3G-3D-5M	202692	Inductive sensor
NJ5-18GM50-E2-V1-3G-3D	129845	Inductive sensor

■ Directives and Standards / Richtlinien und Normen

EU-Directive EU-Richtlinie	Standards Normen
ATEX 2014/34/EU (L96/309-356)	EN 60079-0/A11:2013-11 EN 60079-0:2012-08 EN 60079-15:2010-05 EN 60079-31:2014-07
EMC 2014/30/EU (L96/79-106)	EN 60947-5-2/A1:2012-11 EN 60947-5-2:2007-12

■ Affixed CE Marking / Angebrachte CE-Kennzeichnung



■ Signatures / Unterschriften

Mannheim, 2016-12-07

ppa. Reiner Müller
President
Division Factory Automation

ppa. Wolfgang Helm
Director
Business Unit Sensors

■ ANNEX ATEX

Marking and Certificates / *Kennzeichnung und Zertifikate*

Marking <i>Kennzeichnung</i>	Certificate <i>Zertifikat</i>	Issuer ID <i>Aussteller ID</i>
 II 3 G	PF15CERT3754X	PF
 II 3 D	PF15CERT3774X	PF

Key for Issuer ID / *Schlüssel zur Aussteller ID*

ID	Issuer / <i>Aussteller</i>
PF	Pepperl+Fuchs Lilienthalstrasse 200 68307 Mannheim Germany

■ Special conditions for the installation in zone 2 and zone 22 / *Besondere Bedingungen für den Einsatz in Zone 2 und Zone 22*

The special conditions for use of the device in zone 2 and zone 22 according to the datasheet and instruction manual, available under <http://www.pepperl-fuchs.com> must be considered.

Die besonderen Bedingungen für den Einsatz des Betriebsmittels in Zone 2 und Zone 22 laut Datenblatt und Betriebsanleitung, verfügbar unter <http://www.pepperl-fuchs.com> müssen beachtet werden.



SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS


At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk