

Product datasheet

Characteristics

MG16C14T

Powerpact 4 - panelboard - 1600A - 42 ways - 1P
- Style G - top cable entry



Main

Range	PowerPact
Product or component type	Panelboard
Product name	PowerPact 4
Device application	Distribution
Provided equipment	removable bottom gland plate end cover

Complementary

[In] rated current	1600 A
Number of ways	42 (1P) 14 ways (3P)
[Ue] rated operational voltage	415 V 50 Hz AC
Breaking capacity	50 kA AC 1 s
Enclosure material	epoxy-polyester powder steel
Cable entry	Top at main
Device mounting	Floor mounted

Environment

IP degree of protection	IP3x
Standards	BS EN 60439-1

Offer Sustainability

REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information

Contractual warranty

Warranty	18 months
----------	-----------



SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk