


www.schneider-electric.com
 W9 1378086 0211 A07
 06 - 2016




Torque 1.3 N.m (12 lb-in) max




Philips N 2						Ø6			C		
mm ²	mm ²	mm ²	mm ²	mm ²	mm ²	mm	C N.m	L mm	Ø mm		
1 X 6,35 2 X 2,8	0,34 · · · 2,5	0,34... · · · 2,5 + 0,34... 1,5	0,75 · · · 4	0,75... · · · 4 + 0,75... 4	1,5 · · · 4 + 1,5... 4	7	1.3	7	3		
AWG 12 = 3,31 mm ² AWG 14 = 2,08 mm ²			AWG 16 = 1,31 mm ² AWG 18 = 0,82 mm ²			AWG 20 = 0,52 mm ²					

- Surge suppressor
- Limiteur de surtension
- Überspannungsbegrenzer
- Limitatore di sovratensione
- Limitador de sobretensión
- Limitador de sobretensão
- 浪涌抑制器


LA4 KC.



LA4 KE.



▲▲ DANGER / 危险
HAZARD OF ELECTRIC SHOCK, EXPLOSION, OR ARC FLASH
 Disconnect all power before servicing equipment.
Failure to follow these instructions will result in death or serious injury.
 可能有触电、爆炸或者电弧灼伤的危險。
 在此电力设备上进行操作时，请先断开所有电源。
 不遵守上述规定将可能导致人员伤亡。



Schneider Electric Industries SAS
 35 Rue Joseph Monier
 92506 Rueil Malmaison, France

3P AC TeSys K contactors are grade 2 according to GB 21518. Maximum power consumption lower than 5.0 VA.
 根据GB 21518标准，三极 TeSys K系列交流接触器能效等级为2级，产品最大吸持功率低于5.0 VA

▲ WARNING / 警告

RISK OF FIRE OR ELECTRIC SHOCK (FOR CONTACTOR WITH UL HI-FAULT SHORT CIRCUIT CURRENT RATINGS ONLY)

The opening of the branch-circuit protective device may be an indication that a fault current has been interrupted.


To reduce the risk of fire or electric shock, current-carrying parts and the other components of the controller should be examined and replaced if damaged.

Failure to follow these instructions can result in death, serious injury, or equipment damage.

可能有火灾或者触电的危险（仅限UL高故障短路电流额定值的接触器）。

支路保护设备断开，表明故障电流已被中断。为降低火灾或触电风险，应检查带电部件和其它控制元件，如有损坏，需及时更换。不遵循上述规定将可能导致人员伤亡或设备损坏。

For Motor Starting Use Schneider Electric Overload Relay Series LR.
 电动机启动请使用施耐德电气LR系列过载继电器。





SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk