

## Data sheet

### Pressing tool PZ 6 ROTO L

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



#### Crimping tools for wire end ferrules, with and without plastic collars

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

#### General ordering data

|            |  |
|------------|--|
| Type       | PZ 6 ROTO L  |
| Order No.  | <a href="#">1444050000</a>   |
| Version    | Pressing tool, Crimping tool for wire-end ferrules, 0.14mm <sup>2</sup> , 6mm <sup>2</sup> , Trapezoidal crimp |
| GTIN (EAN) | 4050118248593  |
| Qty.       | 1 pc(s).   |

Creation date 22 April 2020 08:36:49 CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

## Data sheet

### Pressing tool PZ 6 ROTO L

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

## Technical data

### Dimensions and weights

|        |        |                |            |
|--------|--------|----------------|------------|
| Width  | 200 mm | Width (inches) | 7.874 inch |
| Weight | 428 g  | Net weight     | 431.4 g    |

### Environmental Product Compliance

|            |                |
|------------|----------------|
| REACH SVHC | Lead 7439-92-1 |
|------------|----------------|

### Technical data

|         |   |
|---------|---|
| Version | Mechanical, without interchangeable inserts |
|---------|---|

### Description of contact

|                                   |  |                                   |                      |
|-----------------------------------|--|-----------------------------------|----------------------|
| Type of contact                   | Wire-end ferrules with/without plastic collars | Crimping range, min.              | 0.14 mm <sup>2</sup> |
| Crimping range, max.              | 6 mm <sup>2</sup>                              | Conductor cross-section, max. AWG | AWG 10               |
| Conductor cross-section, min. AWG | AWG 26   |                                   |                      |

### tool data crimping

|                                       |                   |                                       |                      |
|---------------------------------------|-------------------|---------------------------------------|----------------------|
| Crimping type/profile                 | Trapezoidal crimp | Wire end ferrules cross-section, min. | 0.14 mm <sup>2</sup> |
| Wire end ferrules cross-section, max. | 6 mm <sup>2</sup> |                                       |                      |

### Classifications

|             |             |            |             |
|-------------|-------------|------------|-------------|
| ETIM 6.0    | EC000168    | ETIM 7.0   | EC000168    |
| eClass 9.0  | 21-04-38-11 | eClass 9.1 | 21-04-38-11 |
| eClass 10.0 | 21-04-38-11 | UNSPSC     | 31-16-31-02 |

### Approvals

Approvals



### Downloads

|                    |                                      |
|--------------------|--------------------------------------|
| Brochure/Catalogue | <a href="#">CAT 6 TOOLS 15/16 EN</a> |
| User Documentation | <a href="#">Manual</a>               |

**Data sheet****Pressing tool  
PZ 6 ROTO L**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings****Example of use**



# SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

# [www.scatts.co.uk](http://www.scatts.co.uk)