

EAO – Your Expert Partner for Human Machine Interfaces

17-020352 - Indicator 6 mm LED 3 mm

17-020352 - Indicator 6 mm LED 3 mm



Attention: The preview is based on a sample product. This can differ from your current configuration.

Mounting

Mounting cut-out	Ø 6 mm
Design	raised

Front

Front shape	round
Front dimension	Ø 7 mm
Reflector	Metal satin-chrome, exterior

Other Attributes

Operating voltage	24 V DC
Weight	0,003 kg
Operation current	15 mA

IP-Rating

Front protection	IP40
------------------	------

Connection Method

Terminal material	
Terminal	Plug 2.0 x 0.5 mm
wire cross-section of terminal	mm ²

Illumination

LED colour	Single-LED yellow
------------	-------------------

Optics

Lumi. intensity	6 mcd
-----------------	-------


Function

Indicator	
-----------	--


EAO – Your Expert Partner for Human Machine Interfaces

17-020352 - Indicator 6 mm LED 3 mm

Dimensions



Mounting cut-outs



Additional information

Operating voltage tolerance +10 %

Operating current ± 15 %



SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk