



Pushing Performance

## Acces. Metal Multiple Cable Seal Pg 36



Image is for illustration purposes only. Please refer to product description.

|                    |                                                                                       |
|--------------------|---------------------------------------------------------------------------------------|
| Part number        | 09 00 000 5018                                                                        |
| Specification      | Acces. Metal Multiple Cable Seal Pg 36                                                |
| HARTING eCatalogue | <a href="https://b2b.harting.com/09000005018">https://b2b.harting.com/09000005018</a> |

### Identification

|                              |                   |
|------------------------------|-------------------|
| Category                     | Accessories       |
| Type of accessory            | Cable gland       |
| Description of the accessory | With cutting seal |

### Technical characteristics

|                                        |              |
|----------------------------------------|--------------|
| Wrench size                            | 47           |
| Degree of protection acc. to IEC 60529 | IP65         |
| Size                                   | Pg 36        |
| Clamping range                         | 23 ... 34 mm |

### Material properties

|                             |                                                        |
|-----------------------------|--------------------------------------------------------|
| Material (cable glands)     | Metal                                                  |
| RoHS                        | compliant with exemption                               |
| RoHS exemptions             | 6(c): Copper alloy containing up to 4 % lead by weight |
| ELV status                  | compliant with exemption                               |
| China RoHS                  | 50                                                     |
| REACH Annex XVII substances | No                                                     |
| REACH ANNEX XIV substances  | No                                                     |
| REACH SVHC substances       | Yes                                                    |
| REACH SVHC substances       | Lead                                                   |

### Commercial data

|                |   |
|----------------|---|
| Packaging size | 1 |
|----------------|---|



Pushing Performance

## Commercial data

Net weight 60.2 g

Country of origin Germany

European customs tariff number 84849000

eCl@ss 27144432 Screwed cable gland (electr.)



# SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

# [www.scatts.co.uk](http://www.scatts.co.uk)