



Pushing Performance

R15 male F.O. 1mm POF (DD)



Image is for illustration purposes only. Please refer to product description.

Part number	20 10 001 3211
Specification	R15 male F.O. 1mm POF (DD)
HARTING eCatalogue	https://b2b.harting.com/20100013211

Identification

Category	Contacts
Type of contact	FO contact
Description of the contact	for 1 mm plastic fibre

Version

Gender	Male
Manufacturing process	Turned contacts

Material properties

RoHS	compliant with exemption
RoHS exemptions	6(c): Copper alloy containing up to 4 % lead by weight
ELV status	compliant with exemption
China RoHS	50
REACH Annex XVII substances	No
REACH ANNEX XIV substances	No
REACH SVHC substances	Yes
REACH SVHC substances	Lead

Commercial data

Packaging size	10
Net weight	1.12 g
Country of origin	Germany
European customs tariff number	85367000

Product data sheet
20 10 001 3211
R15 male F.O. 1mm POF (DD)



Pushing Performance

Commercial data

eCl@ss

27440204 Contact for industrial connectors



SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk