




---

 PRODUCT-DETAILS

## VE5-2

### VE5-2 Mechanical and Electrical Interlock Unit




---

#### General Information

Extended Product Type	VE5-2
Product ID	1SBN030210R1000
EAN	3471522121387
Catalog Description	VE5-2 Mechanical and Electrical Interlock Unit
Long Description	VE5-2 Mechanical and Electrical Interlock Unit

---

#### Ordering

EAN	3471522121387
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

---

#### Dimensions

Product Net Width	15 mm
Product Net Height	108 mm
Product Net Depth / Length	89.65 mm
Product Net Weight	0.146 kg

---

#### Container Information

Package Level 1 Units	box 1 piece
-----------------------	-------------

Package Level 1 Width	146 mm
Package Level 1 Height	26 mm
Package Level 1 Depth / Length	153.5 mm
Package Level 1 Gross Weight	0.146 kg
Package Level 1 EAN	3471522121387
Package Level 2 Units	36 piece
Package Level 2 Gross Weight	5.256 kg

## Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

## Additional Information

Conventional Free-air Thermal Current ( $I_{th}$ )	acc. to IEC 60947-5-1, $q = 40\text{ °C}$ 16 A
Mechanical Durability	5 million
Mounted Auxiliary Contacts	0 NO, 2 NC
Mounting on Contactors	A 45...A 110
Mounting Type	rail or plate not supplied (The combination of A 45 ... A 75 interlocked with A 95, A 110 cannot be mounted on symmetrical rail)
Number of Auxiliary Contacts NC	2
Order Multiple	1 piece
Power Loss	at Rated Operating Conditions per Pole 0.1 W
Product Main Type	Accessories for Block Contactors
Product Name	Mechanical and Electrical Interlock Unit
Rated Breaking Capacity acc. to IEC 60947-5-1	10 x Ie AC-15
Rated Frequency (f)	Supply Circuit 50 60 Hz
Rated Insulation Voltage ( $U_i$ )	acc. to UL/CSA 600 V acc. to IEC 60947-5-1 and VDE 0110 (Gr. C) 690 V
Rated Making Capacity acc. to IEC 60947-5-1	10 x Ie AC-15
Rated Operational Current AC-15 ( $I_e$ )	(220 / 240 V) 4 A (24 / 127 V) 6 A (380 / 440 V) 3 A (500 V) 2 A (690 V) 2 A
Rated Operational Current DC-13 ( $I_e$ )	(125 V) 0.55 A (24 V) 6 A (250 V) 0.3 A (48 V) 2.8 A (72 V) 1 A
Rated Operational Voltage	Auxiliary Circuit 690 V
RoHS Date	20171115
Suitable For	AX50 AX65 AX80 AX95 AX115 AX150
Terminal Type	Screw Terminals
Version	Mechanical/Electrical

---

## Certificates and Declarations (Document Number)

---

CB Certificate	CB_CN_37804
CCC Certificate	CCC_2016010304881659
Data Sheet, Technical Information	1SBC100122C0202_Ch04
Declaration of Conformity - CE	1SBD250814U1000
Environmental Information	1SBD250146E1000
GOST Certificate	GOST_POCCFRME77B07175
Instructions and Manuals	FPTC407713P0002
RINA Certificate	RINA_ELE128713XG001
RoHS Information	1SBD250814U1000

---



---

## Classifications

---

ETIM 4	EC002498 - Accessories for low-voltage switch technology
ETIM 5	EC002498 - Accessories for low-voltage switch technology
ETIM 6	EC001044 - Mechanic interlock for switch
ETIM 7	EC001044 - Mechanic interlock for switch
UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---



---

## Categories

---

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors Accessories





# SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

# [www.scatts.co.uk](http://www.scatts.co.uk)