




---

 PRODUCT-DETAILS

# CL-100Y

## PILOT LIGHT CL-100Y




---

### General Information

|                       |  |
|-----------------------|--|
| Extended Product Type | CL-100Y  |
| Product ID            | 1SFA619402R1003  |
| EAN                   | 7320500204139  |
| Catalog Description   | PILOT LIGHT CL-100Y  |
| Long Description      | Compact Pilot Light - Pilot light head - Yellow - Illuminated - Lamptype: Ba9s |

---

### Ordering

|                        |               |
|------------------------|---------------|
| E-Number (Norway)      | 4372563       |
| E-Number (Sweden)      | 3711204       |
| EAN                    | 7320500204139 |
| Minimum Order Quantity | 10 piece      |
| Customs Tariff Number  | 8536619090    |

---

### Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 0.03 m   |
| Product Net Height         | 0.03 m   |
| Product Net Depth / Length | 0.055 m  |
| Product Net Weight         | 0.018 kg |

## Container Information

|                                |          |
|--------------------------------|----------|
| Package Level 1 Units          | 10 piece |
| Package Level 1 Width          | 0.1 m    |
| Package Level 1 Height         | 0.03 m   |
| Package Level 1 Depth / Length | 0.1 m    |
| Package Level 1 Gross Weight   | 0.018 kg |
| Package Level 2 Units          | 10 piece |

## Environmental

|                         |  |
|-------------------------|--|
| Ambient Air Temperature | Operation -25 ... +70 °C<br>Storage -30 ... +85 °C     |
| RoHS Status             | Following EU Directive 2015/863 July 22, 2019 (RoHS 3) |

## Additional Information

|   |   |
|---|---|
| Actuator Type                                     | Pilot light head  |
| Bezel Material                                    | n/a   |
| Color   | Yellow  |
| Degree of Protection                              | Front IP66<br>Front IP67<br>Front IP69K<br>Terminals IP20 |
| Illumination                                      | Illuminated   |
| Lamp Type   | Ba9s  |
| Lens Color  | Yellow  |
| Product Main Type                                 | CL  |
| Product Name                                      | Pilot Light   |
| Product Range                                     | Compact   |
| Product Type                                      | CL  |
| Rated Control Supply Voltage (U <sub>s</sub> )    | 240 V   |
| Rated Frequency (f)                               | Supply Circuit 60 50 Hz                                   |
| Rated Operational Current AC-15 (I <sub>e</sub> ) | (220 / 240 V) 1 A<br>(24 / 127 V) 1.5 A                   |
| Rated Operational Current DC-13 (I <sub>e</sub> ) | (125 V) 0.2 A<br>(24 V) 0.3 A                             |
| Rated Operational Voltage                         | Maximum 240 V   |
| RoHS Date   | 0626 5  |
| Suitable For                                      | Bulb 3W max.  |

## Certificates and Declarations (Document Number)

|                                   |                     |
|-----------------------------------|---------------------|
| CCC Certificate                   | 2003010305054693_   |
| cURus Certificate                 | UL_E496500-20171020 |
| Data Sheet, Technical Information | 1SFC151007C02__     |
| Declaration of Conformity - CE    | 2CMT2015-005451     |
| DNV GL Certificate                | 9AKK107046A3749     |
| Environmental Information         | 1SFC151009D0201     |
| Instructions and Manuals          | 1SFC151011M0201     |
| RoHS Information                  | 2CMT2015-005451     |

---

**Classifications**

---

|                            |  |
|----------------------------|--|
| ETIM 4                     | EC002024 - Accessories for control circuit devices         |
| ETIM 5                     | EC000272 - Indicator light complete                        |
| ETIM 6                     | EC000272 - Indicator light complete                        |
| ETIM 7                     | EC000272 - Indicator light complete                        |
| Object Classification Code | E  |
| UNSPSC                     | 39121500   |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |

---

---

**Categories**

---

Low Voltage Products and Systems → Control Products → Pilot Devices → Compact Range





# SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

# [www.scatts.co.uk](http://www.scatts.co.uk)