



 PRODUCT-DETAILS

BVNV-M406

COND FTNG STR M40 NW36 IP68 CSA BLK



General Information

| | |
|-----------------------|--|
| Extended Product Type | BVNV-M406 |
| Product ID | 7TAA292150R0283 |
| EAN | 7630030231803 |
| Catalog Description | COND FTNG STR M40 NW36 IP68 CSA BLK |
| Long Description | PMAFIX Straight Black Connector, Material - Polyamide 6, Thread Size M40x1.5, Conduit Size NW - 36 |

Ordering

| | |
|-----------------------|---------------|
| EAN | 7630030231803 |
| Customs Tariff Number | 3917400090 |

Dimensions

| | |
|--------------------|--------------------|
| Product Net Weight | .11 lb 49.887 g |
|--------------------|--------------------|

Container Information

| | |
|-----------------------|---------------------|
| Package Level 1 Units | 20 piece |
| Package Level 2 Units | 60 piece |
| Package Level 2 Width | 11.811 in 300 mm |

BVNV-M406

2

| | |
|--------------------------------|---------------------|
| Package Level 2 Height | 7.874 in 200 mm |
| Package Level 2 Depth / Length | 15.748 in 400 mm |

Additional Information

| | |
|---------------------|--|
| Application | For Cable Protection Systems In a Wide Range of Applications |
| Brand / Label | PMA |
| Color | Black |
| Insulation Class | IP68 |
| Material | Polyamide 6 |
| Number of Batteries | 0 |
| Product Name | PLASTIC FITTING FOR CONDUIT |
| Product Type | Fittings for Nylon Flexible Conduits |
| Size | NW36 ; M40 Thread |
| Standards | CSA |
| Temperature Range | -40 to 105 °C Short Term to 160 °C |
| UPC | 786209952400 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | BVNV-M406 |
| Declaration of Conformity - CE | 9AKK107680A0674 |
| Instructions and Manuals | BVNV-M406 |

Classifications

| | |
|------------------------------------|---|
| ETIM 6 | EC001176 - Screw connection for corrugated plastic hose |
| ETIM 7 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 4441 >> Electrical fittings |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems





SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk