



 PRODUCT-DETAILS

CYLT-29B.50

CONDUIT CSA/UL FINE PA6 NW29 50MBLK



General Information

| | |
|-----------------------|---|
| Extended Product Type | CYLT-29B.50 |
| Product ID | 7TAA292240R0028 |
| EAN | 7630030223242 |
| Catalog Description | CONDUIT CSA/UL FINE PA6 NW29 50MBLK |
| Long Description | Fine Profile Medium Wall Very Flexible Black Conduit, (CYL) Material - Polyamide 6, Conduit Size NW - 29, 50 Meters |

Ordering

| | |
|-----------------------|---------------|
| EAN | 7630030223242 |
| Customs Tariff Number | 3926909990 |

Dimensions

| | |
|--------------------|--------------------|
| Product Net Weight | 15.7 lb 7.12 kg |
|--------------------|--------------------|

Container Information

| | |
|-----------------------|---------------------|
| Package Level 1 Units | 1 piece |
| Package Level 2 Units | 6 piece |
| Package Level 2 Width | 31.496 in 800 mm |

| | |
|--------------------------------|----------------------|
| Package Level 2 Height | 29.528 in 750 mm |
| Package Level 2 Depth / Length | 47.244 in 1200 mm |

Additional Information

| | |
|---------------------|---------------------|
| Application | Machine |
| Brand / Label | PMA |
| Color | Black |
| Flexibility | Very High |
| Inside Diameter | 1.14 in |
| Material | Polyamide/Nylon 6 |
| Nominal Size | NW29 |
| Number of Batteries | 0 |
| Outside Diameter | 1.36 in |
| Product Name | PA FLEX TUBING |
| Product Type | Medium Wall Conduit |
| Standards | CSA |
| UPC | 786209954886 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK107492A6513 |
| Declaration of Conformity - CE | 9AKK107680A0674 |
| Instructions and Manuals | CYLT-29B.50 |

Classifications

| | |
|------------------------------------|------------------------------------|
| ETIM 6 | EC001175 - Corrugated plastic hose |
| ETIM 7 | EC001175 - Corrugated plastic hose |
| UNSPSC | 39131706 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5535 >> Electrical conduit |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

CYLT-29B.50





SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk