


## busbar 25 x 5 (01621)



The picture may show a similar product.

### Description

Part No.: 01621  
busbar 25 x 5  
length 2.40 m, tinned

### System

60Classic

Product group 06

Subgroup 82

pack size 1

EAN 4021267016210

### Advantages of the product

Tin-plated Cu busbars considerably reduce the effort of preparing the contact points.

The Cu busbars are effectively protected against aggressive media.

catalog page 2020 : 3.3

eCl@ss 6.1 27370303

eCl@ss 7.1 27370303

ETIM 4.0 EC001522

ETIM 5.0 EC001522

## Approvals

### Standards

IEC 61439-1:2011

GB/T 7251.1

### Approvals

DNV GL , EAC



type number: 25x5

EAC Type: BB-F

CCC approval: no certification required

## Technical data

### Details IEC

#### Standards

IEC 61439-1:2011

GB/T 7251.1

### Electrical data

**Please respect the insulation characteristics of the busbar support for your application.**

short-circuit withstandability: see product description of the used busbar support

current at 30 K 400 A

:

### **Mechanical data**

L x W x D: 2400 x 25 x 5

weight: 267.8 kg/100

cross-section: 125 mm<sup>2</sup>

Edge radius 0.5

### **Material properties**

Main body: Cu-ETP R300 (EN 13601), tinned

corrosion-resistant, also in aggressive environments

## Accessories



**01244**  
busbar cover  
for 12 - 30 x 5 busbar, 1 m long  
touch protection cover



**37212**  
current transformer 200 A / 5 A  
2.5 VA / class 1

when used on busbars or in adapters 630 A additional 37900 required.



**NEW**  
**37213**  
current transformer 250 A / 5 A  
2.5 VA / class 1

when used on busbars or in adapters 630 A additional 37900 required.



**NEW**  
**37214**  
current transformer 400 A / 5 A  
2.5 VA / class 1

when used on busbars or in adapters 630 A additional 37900 required.



**NEW**  
**37215**  
current transformer 500 A / 5 A  
2.5 VA / class 1

when used on busbars or in adapters 630 A additional 37900 required.



**NEW**

**37220**

current transformer 250 A / 5 A  
2.5 VA / class 0.5

when used on busbars or in adapters 630 A additional 37900 required.

**NEW****37221**

current transformer 400 A / 5 A  
2.5 VA / class 0.5

when used on busbars or in adapters 630 A additional 37900 required.

**NEW****37222**

current transformer 500 A / 5 A  
2.5 VA / class 0.5

when used on busbars or in adapters 630 A additional 37900 required.

**NEW****37224**

current transformer 800 A / 5 A  
2.5 VA / class 0.5

when used on busbars or in adapters 630 A additional 37900 required.

**NEW****37225**

current transformer 910 A / 5 A  
2.5 VA / class 0.5

when used on busbars or in adapters 630 A additional 37900 required.

**NEW**

**37217**

current transformer 800 A / 5 A  
2.5 VA / class 1

when used on busbars or in adapters 630 A additional 37900 required.

**NEW**



**37218**

current transformer 910 A / 5 A  
2.5 VA / class 1

when used on busbars or in adapters 630 A additional 37900 required.

**NEW**



# SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

# [www.scatts.co.uk](http://www.scatts.co.uk)