

PE-terminal, green/yellow (01258)



The picture may show a similar product.

Description

Part No.: 01258

PE-terminal, green/yellow
snap-on

System

Accessories

Product group 06

Subgroup 33

pack size 50

EAN 4021267012588

catalog page 2020 : 7.21

eCl@ss 6.1 27370390
eCl@ss 7.1 27370390
ETIM 4.0 EC000329
ETIM 5.0 EC000329

Approvals

Standards

IEC 61439-1:2011
GB/T 7251.1

Approvals

EAC



EAC Type: AC-P

CCC approval: no certification required

Technical data

Details IEC

Standards

IEC 61439-1:2011
GB/T 7251.1

Electrical data IEC

Rated current (IEC): 63 A
rated voltage (IEC) AC: 400 V

rated isolation voltage U_i AC: 500 V
rated surge voltage U_{imp} : 6 kV

power dissipation of the article:

The power dissipation at a typical load of 80 % of the rated current results to 0 W.
(The power dissipation for operation with rated current would be 0 W.)

Mechanical data

W x H x D: 15 x 55 x 20

weight: 2.9 kg/100

Material properties

Main body: temperature stability 125°C,
self-extinguishing in acc. to UL 94,
creepage resistance CTI 200
halogen-free



SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk