

## PE/N-support (01356)



The picture may show a similar product.

### Description

Part No.: 01356

PE/N-support

2-pole, indiv. mountable

for busbars 12, 15, 20, 25, 30 x 5, 10

### System

60Classic

**Product group** 06

**Subgroup** 06

**pack size** 10

**EAN** 4021267013561

### Advantages of the product

With external screw holes, can also be used as centre support

5 / 10mm depth balancing possible, N-PE connection easy to make

catalog page 2020 : 3.1

eCl@ss 6.1 27400607

eCl@ss 7.1 27400607

ETIM 4.0 EC001166

ETIM 5.0 EC001166

## Approvals

### Standards

IEC 61439-1:2011

GB/T 7251.1

### Approvals

UL, EAC



for UL feeder circuits >250V

type number: S356-L

EAC Type: SB

UL file: E123577, UL category (for USA): NMTR <http://www.ul.com>

UL file: E123577, UL category (for Canada): NMTR7 <http://www.ul.com>

CCC approval: no certification required

## Technical data

### Details IEC

#### Standards

IEC 61439-1:2011

GB/T 7251.1

#### Electrical data IEC

rated voltage (IEC) AC: 690 V

rated isolation voltage  $U_i$  AC: 1000 V

rated surge voltage  $U_{imp}$ : 6 kV

The insulation performance of the article depends on the installation conditions.

power dissipation of the article:

The power dissipation at a typical load of 80 % of the rated current results to 0 W.

(The power dissipation for operation with rated current would be 0 W.)

### Supplementary data IEC

The following values have been verified with tests under certain conditions. Please ask Wöhner for this conditions before designing your panel.

max. permitted voltage (IEC) DC: 1500 V

UL:

SCCR = 14 kA (Schienenträger im Abstand von 400 mm)

### Details UL

#### Standards

UL 508

for UL feeder circuits >250V

### Electrical data UL

rated voltage (UL) AC: 600 V

### Mechanical data

W x H x D: 20 x 164 x 50

weight: 9.5 kg/100

poles: 2-pole

for busbars: 12, 15, 20, 25, 30 x 5, 10

### Material properties

Main body: temperature stability 125°C,  
self-extinguishing in acc. to UL 94,  
creepage resistance CTI 600,  
halogen-free

Screws: screw +/- (PZ2), galvanized, chromized

## Accessories



**01325**

end cover

for busbar support 01356 and 01601



# SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

# [www.scatts.co.uk](http://www.scatts.co.uk)