


connection busbar support (01484)



The picture may show a similar product.

Description

Part No.: 01484

connection busbar support

3-pole, with integrated terminals 1.5 - 16 mm²

for busbars 12, 15, 20, 25, 30 x 5, 10

System

60Classic

Product group 06

Subgroup 09

pack size 10

EAN 4021267014841

Advantages of the product

Connection busbar support with integrated terminals for feeding or tapping the busbar with internal screw holes, can also be used as centre support.

catalog page 2020 : 3.2, 3.5

eCl@ss 6.1 27400607

eCl@ss 7.1 27400607

ETIM 4.0 EC001166

ETIM 5.0 EC001166

Approvals

Standards

IEC 61439-1:2011

GB/T 7251.1

Approvals

EAC



EAC Type: SB

CCC approval: no certification required

Technical data

Details IEC

Standards

IEC 61439-1:2011

GB/T 7251.1

Electrical data IEC

Rated current (IEC): 63 A

rated voltage (IEC) AC: 690 V

rated frequency (IEC): 50 / 60 Hz

rated isolation voltage U_i AC: 800 V

rated surge voltage U_{imp} : 6 kV

power dissipation of the article:

The power dissipation at a typical load of 80 % of the rated current results to 0.5 W.

(The power dissipation for operation with rated current would be 0.8 W.)

Supplementary data IEC

The following values have been verified with tests under certain conditions. Please ask Wöhner for this conditions before designing your panel.

current capacity (IEC) max.: 80 A

Current capacity of the clamping point 80A

short-circuit withstand rating:

surge current strength > 30kA at busbar support separation of 550mm

surge current strength > 50kA at busbar support separation of 250mm

further values in the short-circuit withstand rating diagram

Mechanical data

W x H x D: 20 x 202 x 87

weight: 25.6 kg/100

poles: 3-pole

for busbars: 12, 15, 20, 25, 30 x 5, 10


Material properties

Main body: temperature stability 125°C,
self-extinguishing in acc. to UL 94,
creepage resistance CTI 600,
halogen-free

Screws: screw +/- (PZ2), galvanized, chromized

Handle: temperature stability 125°C,
self-extinguishing in acc. to UL 94,
creepage resistance CTI 600

Accessories



01573

end cover

for busbar supports 01484, 01495, 01500, 01508 and 01603



SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk