


flat terminal (01587)



The picture may show a similar product.

Description

Part No.: 01587

flat terminal

connection of busbar 35 wide with lam. Cu 30 wide

System

60Classic

Product group 07

Subgroup 34

pack size 10

EAN 4021267015879

catalog page 2020 : 3.7

eCl@ss 6.1 27400606
eCl@ss 7.1 27400606
ETIM 4.0 EC000713
ETIM 5.0 EC000713

Approvals

Standards

IEC 61439-1:2011
GB/T 7251.1

Approvals

EAC



EAC Type: TE-P

CCC approval: no certification required

Technical data

Details IEC

Standards

IEC 61439-1:2011
GB/T 7251.1

Electrical data

power dissipation of the article:

The power dissipation at a typical load of 80 % of the rated current results to 0 W.
(The power dissipation for operation with rated current would be 0 W.)

Mechanical data

W x H x D: 50 x 55 x 25
weight: 21.5 kg/100

Material properties

Screws: Hexagon screw M6x30, length across flats 10

Terminal body: galvanized steel, chromized

Reference

for connection of flat busbars with solid or laminated flat conductors



SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk