

Product datasheet

Characteristics

NSYS3X6420

SPACIAL S3X stainless 304L, Scotch Brite® finish, H600xW400xD200 mm.



Main

| | |
|----------------------|---|
| Range | Spacial |
| Product name | Spacial S3X |
| Enclosure type | Multi-purpose |
| Category | Compact enclosure |
| Nominal height | 600 mm |
| Nominal width | 400 mm |
| Nominal depth | 200 mm |
| Product installation | Wall-mounting |
| Device composition | 1 body 1 door 2 lock: door 2 perforated vertical profile drilled: door |

Complementary

| | |
|-----------------------------|--|
| Body type | Single piece body, cross-shaped structure Gutter shaped front rail |
| Door type | Plain |
| Number of doors | Front face: 1 door(s) |
| Door opening side | Reversible (120 °) |
| Lock type | 2 points lock, 3 mm double-bar |
| Mounting plate description | Without mounting plate |
| Type of gland plate | Without gland plate |
| Accessibility for operation | Front |
| Removable parts | Door by hinges |
| Material | Body and door: stainless steel 304L Lock: zamak Hinge: stainless steel |
| Surface finish | Body and door: Scotch-Brite® brushed |

Lock: chromium plated

| | |
|------------|----------|
| Thickness | 1.5 mm |
| Net weight | 9.446 kg |

Environment

| | |
|------------------------------|-------------------------------|
| Standards | IEC 62208 |
| Product certifications | UL 508 type A CAN/CSA 22 |
| IP degree of protection | IP66 conforming to IEC 60529 |
| IK degree of protection | IK10 conforming to IEC 62262 |
| Environmental characteristic | Specific hygiene Corrosive |

Packing Units

| | |
|------------------|------------|
| Package 1 Weight | 9.446 kg |
| Package 1 Height | 610.000 mm |
| Package 1 width | 410.000 mm |
| Package 1 Length | 220.000 mm |

Offer Sustainability

| | |
|----------------------------|---|
| Sustainable offer status | Green Premium product |
| REACH free of SVHC | Yes |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| China RoHS Regulation | China RoHS declaration Product out of China RoHS scope. Substance declaration for your information |
| Environmental Disclosure | Product Environmental Profile |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|



SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk