

Product datasheet

Characteristics

NSYPLS3636G

PLS box, polyester rear, transparent PC cover
IP65 36x36x18cm



Main

| | |
|---------------------|----------------------------------------------------------------------|
| Range | Thalassa |
| Product name | Thalassa PLS |
| Device short name | PLS |
| Enclosure type | Multi-purpose |
| Category | Insulating modular box |
| Nominal height | 360 mm |
| Nominal width | 360 mm |
| Nominal depth | 180 mm |
| Enclosure mounting | Wall mounted |
| Device composition | 1 cover: on enclosure 1 rear part: on enclosure locking screws |
| Body type | One piece moulded |
| Type of front cover | Low transparent cover |
| Lock type | Slot screw |

Complementary

| | |
|------------------------|--------------------------------------------------------------------|
| Removable parts | Cover locking screw |
| Material | Cover: polycarbonate Rear: polyester reinforced with fibreglass |
| Colour | Body: grey (RAL 7035) |
| Standards | NEMA classification 13 NEMA 4X IEC 62208 |
| Product certifications | UL |

Environment

| | |
|-------------------------------------|--------------------------------|
| Electrical insulation class | Class II |
| IP degree of protection | IP66 conforming to IEC 60529 |
| IK degree of protection | IK09 conforming to IEC 62262 |
| Fire resistance | 960 °C conforming to IEC 62208 |
| Ambient air temperature for storage | -30...70 °C |

Packing Units

| | |
|------------------------------|--------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Weight | 2.6 kg |
| Package 1 Height | 20 cm |
| Package 1 width | 38 cm |
| Package 1 Length | 38 cm |

Offer Sustainability

| | |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Sustainable offer status | Green Premium product |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| China RoHS Regulation | China RoHS declaration Product out of China RoHS scope. Substance declaration for your information |
| Environmental Disclosure | Product Environmental Profile |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|



SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk