



# Serial Adapter

## EDW-100

- ⌘ Easy to install and use
  - Purpose built DIN rail casing with integral clip
  - Extensive LED and Telnet diagnostics
  - Web and DIP switch configuration
- ⌘ Designed for use in harsh industrial applications
  - Dual 10 – 60 VDC power input
  - Total galvanic isolation & transient protection
  - RS-422/485 termination and fail safe
- ⌘ Robust for long service life
  - 1,000,000 hours MTBF to MIL-HDBK-217K
  - –25 to +70°C (–13 to +158°F) with no moving parts
  - Industrial EMC, shock and vibration testing
- ⌘ Comprehensive legacy to IP solution
  - UDP, TCP client and TCP server with packing algorithm
  - Modbus TCP to RTU/ASCII gateway
  - Special modes for hardware handshake and resilience



**EN 61000-6-1**  
Residential Immunity

**EN 61000-6-2**  
Industrial Immunity

**EN 61000-6-4**  
Industrial Emission

The EDW-100 is a serial to Ethernet converter designed to allow RS-232, RS-422 and RS-485 serial devices to communicate via TCP/IP Ethernet networks. DIP switches are used for configuration of RS-422/485 as well as for Ethernet port settings; the password protected web interface is used for all other settings. Diagnostic information can be accessed via a Telnet session with more basic information offered on LEDs.

The EDW-100 is designed for use in heavy duty industrial applications. The wide power range, galvanic isolation, transient protection and the design of the termination and fail safe guarantees communication in the worst environments.

Only industrial grade components are used which gives the EDW-100 an MTBF of 1,000,000 hours and ensures a long service life. A wide operating temperature range of –25 to +70°C (–13 to +158°F) can be achieved with no moving parts. The EDW-100 has been tested both by Westermo and external test houses to meet many EMC, isolation, vibration and shock standards, all to the highest levels suitable for heavy industrial environments and rail trackside applications.


The EDW-100 supports UDP, TCP client and TCP server connections between units or to a PC virtual COM port. It also has an array of special modes, including Single Client Mode, Dual TCP Connection, DSR Connection, RST on TCP Closure, RTS Control, Break Signalling and Last Calling allowing the unit to be used in a wide range of complex applications. The Modbus TCP gateway implementation in the EDW-100 supports Modbus RTU and Modbus ASCII in both master and slave modes.

### Ordering Information

Art.no	Description
3616-0020	EDW-100 UDP/TCP Ext temp
3125-0001	PS-30, Power supply, DIN mounted (Accessories)

## Specifications EDW-100

### Dimensional drawing



Dimension W x H x D 34 x 123 x 121 mm (1.33 x 4.84 x 4.76 in)

Weight 0.2 kg

Degree of protection IP21

#### Power

Operating voltage	10 to 60 VDC
Rated current	250 mA @ 12 VDC 125 mA @ 24 VDC 63 mA @ 48 VDC

#### Interfaces

RS-422/485	1 x 4-position detachable screw terminal, 300 bit/s to 115.2 kbit/s
RS-232	1 x 9-pin D-sub, 300 bit/s to 115.2 kbit/s
Ethernet	1 x RJ-45, 10 Mbit/s or 100 Mbit/s

#### Temperature

Operating	-25 to +70°C (-13 to +158°F)
Storage & Transport	-40 to +70°C (-40 to +158°F)

#### Agency approvals and standards compliance

EMC	EN 61000-6-1, Immunity residential environments
	EN 61000-6-2, Immunity industrial environments
	EN 61000-6-4, Emission industrial environments
Safety	UL/CSA/IEC/EN 60950-1, IT equipment



# SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

# [www.scatts.co.uk](http://www.scatts.co.uk)