



 PRODUCT-DETAILS

SP20/M20/B

SWV.NPB M20 / NC20 SP + SN



General Information

| | |
|-----------------------|----------------------------|
| Extended Product Type | SP20/M20/B |
| Product ID | 7TCA296020R0153 |
| EAN | 5020963000003 |
| Catalog Description | SWV.NPB M20 / NC20 SP + SN |
| Long Description | SWV.NPB M20 / NC20 SP + SN |

Ordering

| | |
|-----|---------------|
| EAN | 5020963000003 |
|-----|---------------|

Dimensions

| | |
|--------------------|---------------------|
| Product Net Weight | .134 lb 60.771 g |
|--------------------|---------------------|

Container Information

| | |
|-------------------------|-----------------|
| Package Level 1 Units | 10 piece |
| Package Level 1 Width | 1 in 25 mm |
| Package Level 1 Height | 10 in 254 mm |
| Package Level 1 Depth / | 6 in |

SP20/M20/B

2

| | |
|--------------------------------|-----------------|
| Length | 152 mm |
| Package Level 2 Units | 300 piece |
| Package Level 2 Width | 14 in 356 mm |
| Package Level 2 Height | 6 in 152 mm |
| Package Level 2 Depth / Length | 14 in 356 mm |

Additional Information

| | |
|----------------------|--|
| Application | For Insertion into Threaded Entries or Knockout to Connect Conduit |
| Brand / Label | Adaptaflex |
| Cable Entry Position | M20 Thread |
| Color | Metallic |
| Material | Brass |
| Number of Batteries | 0 |
| Product Name | BRASS FITTING FOR CONDUIT |
| Product Type | Conduit Fitting with Metric Threads |
| Size | 1/2 Inch |
| Surface Finishing | Nickel Plated |
| UPC | 786210247786 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | SP20/M20/B |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| Instructions and Manuals | SP20/M20/B |

Classifications

| | |
|------------------------------------|--|
| ETIM 6 | EC001180 - Screw connection for protective metallic hose |
| ETIM 7 | EC001180 - Screw connection for protective metallic hose |
| UNSPSC | 39121311 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 4441 >> Electrical fittings |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

SP20/M20/B





SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk