




---

**PRODUCT-DETAILS**

# B/M32/90

## NBP M32 90 DEG ELBOW




---

**General Information**

|                       |                      |
|-----------------------|----------------------|
| Extended Product Type | B/M32/90             |
| Product ID            | 7TCA296030R0016      |
| EAN                   | 5020963001338        |
| Catalog Description   | NBP M32 90 DEG ELBOW |
| Long Description      | NBP M32 90 DEG ELBOW |

---

**Ordering**

|     |               |
|-----|---------------|
| EAN | 5020963001338 |
|-----|---------------|

---

**Dimensions**

|                    |           |
|--------------------|-----------|
| Product Net Weight | .39 lb    |
|                    | 176.871 g |

---

**Container Information**

|                         |         |
|-------------------------|---------|
| Package Level 2 Units   | 2 piece |
| Package Level 2 Width   | 1 in    |
|                         | 25 mm   |
| Package Level 2 Height  | 1 in    |
|                         | 25 mm   |
| Package Level 2 Depth / | 1 in    |

B/M32/90

2

Length 25 mm

### Additional Information

|                     |                                              |
|---------------------|----------------------------------------------|
| Application         | Connecting Two Pieces of Conduit at an Angle |
| Brand / Label       | Adaptaflex                                   |
| Material            | Nickel Plated Brass                          |
| Nominal Size        | 1 in<br>M32                                  |
| Number of Batteries | 0                                            |
| Product Name        | BRASS FITTING FOR CONDUIT                    |
| Product Type        | 90 Degree Elbow                              |
| Special Functions   | Designed to Help Maintain System Integrity   |
| UPC                 | 786210284392                                 |

### Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | B/M32/90        |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| Instructions and Manuals          | B/M32/90        |

### Classifications

|                                    |                                                          |
|------------------------------------|----------------------------------------------------------|
| ETIM 6                             | EC001180 - Screw connection for protective metallic hose |
| ETIM 7                             | EC001180 - Screw connection for protective metallic hose |
| UNSPSC                             | 39131707                                                 |
| WEEE Category                      | Product Not in WEEE Scope                                |
| IDEA Granular Category Code (IGCC) | 5548 >> Electrical conduit coupling                      |

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems





# SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

# [www.scatts.co.uk](http://www.scatts.co.uk)