




TECHNICAL INFORMATION SHEET

IP56 JUNCTION BOXES WITH SMOOTH SIDES ¼ TURN CLOSING SCREWS



PRODUCT TYPE:

Wall-mounted junction boxes

APPLICATIONS:

Outdoor wall installations

DIMENSIONS:

Product Name	Dimensions mm (LxHxD)	Lid
IP56 01 GRI	100x100x50	standard
IP56 02 GRI	120x80x50	standard
IP56 03 GRI	150x110x70	standard
IP56 03 TRASP	150x110x70	clear
IP56 04 GRI	190x140x70	standard
IP56 04 TRASP	190x140x70	clear
IP56 05 GRI	240x190x90	standard
IP56 05 TRASP	240x190x90	clear
IP56 05 CA GRI	240x190x160	high
IP56 06 GRI	300x220x120	standard
IP56 06 TRASP	300x220x120	clear
IP56 06 CA GRI	300x220x180	high
IP56 07 GRI	380x300x120	standard
IP56 07 TRASP	380x300x120	clear
IP56 07 CA GRI	380x300x180	high

COLOUR RANGE:

Grey RAL 7035

MATERIALS:

- ABS (*Halogen Free*)
- Polycarbonate (*Halogen Free*) only for clear lids

DECLARATION OF CONFORMITY:

All Pico range products come under the scope of the Low Voltage Directive 2014/35/UE and comply with all relevant essential requirements set in the Directive.

Compliance with the Directive is indicated by the **CE** marking and by all required symbols and markings affixed on the product, its packaging, in the assembly instructions and product catalogue, as well as by full product compliance with applicable standards.



**NORMATIVE
REFERENCES:**

- **EN 60670-1:** "Boxes and enclosures for electrical accessories for household and similar fixed electrical installations - Part 1: General requirements"
- **EN 60670-22:** "Boxes and enclosures for electrical accessories for household and similar fixed electrical installations Part 22: Particular requirements for connecting boxes and enclosures".

Degree of protection provided by Enclosures as per EN 60529 standard "Degrees of protection provided by enclosures (IP Code)": IP56

Resistance to impact as per EN 62262 Standard "Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK Code)":

- **Sizes 01 – 02 – 03 – 04 (all versions):** IK07 (2 Joules)
- **Sizes 05 – 06 – 07 (all versions):** IK08 (5 Joules)

Resistance to hot-wire based test as per EN 60695-2-11 Standard "Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products": passed the 650 °C test.

Electric insulation (EN 61439-1): products feature full insulation components for protection against indirect contact (Class II). However, in order to ensure protection, they must be correctly installed according to the instructions provided by the manufacturer and using the appropriate accessories (e.g. screw caps, clamps).

**MINIMUM INSTALLATION
AND SERVICE
TEMPERATURE:**

-25 °C

**MAXIMUM SERVICE
TEMPERATURE:**

+60 °C

**RATED INSULATION
VOLTAGE:**

750 V

**RESISTANCE
TO CHEMICAL
AGENTS:**

Saline	Acids		Bases		Solvents				Mineral Oil
	Concentrated	Thinned	Concentrated	Thinned	Hexane	Benzoic acid	Acetone	Ethyl-alcohol	
Resistant	Unsuitable	Resistant	Resistant	Resistant	Resistant in certain conditions	Unsuitable	Unsuitable	Resistant in certain conditions	Resistant in certain conditions

UV RESISTANCE:

yes

OTHER FEATURES:

- Rails for securing terminal-boards
- Back plate housing (Sizes 04 – 05 – 06 – 07)
- Anti-loss cover system with base installed
- Sealable lid

**MARKINGS
AND CERTIFICATIONS:****CONFORMITY
WITH 2011/65/CE
(ROHS) DIRECTIVE:**

yes





SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS


At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk