



Roxtec S frame

The Roxtec S frame is a metal frame for welding into precise apertures. It is available in different materials and with a single opening, or in combinations with several openings in width and/or height.

- To be used with corresponding Roxtec components to form a complete sealing solution
- Attachment by welding
- SE PPS accessory available for plastic pipe seals



S 6x1 PRIMED



S 6x1 AISI316 frame



S 6x1 ALU

Aluminum

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxHxD (mm)	Weight (kg)	Art. No
S 2x1 ALU	1	120 x 60	140.5 x 121 x 60	143(+1/-1) x 123(+1/-1)	0.8	S002000000131
S 2x2 ALU	2	120 x 60	271 x 121 x 60	273(+1/-1) x 123(+1/-1)	1.3	S002000000231
S 2x3 ALU	3	120 x 60	401.5 x 121 x 60	404(+1/-1) x 123(+1/-1)	1.9	S002000000331
S 2x4 ALU	4	120 x 60	532 x 121 x 60	534(+1/-1) x 123(+1/-1)	2.4	S002000000431
S 2x5 ALU	5	120 x 60	662.5 x 121 x 60	665(+1/-1) x 123(+1/-1)	3	S002000000531
S 2x6 ALU	6	120 x 60	793 x 121 x 60	793(+1/-1) x 123(+1/-1)	3.5	S002000000631
S 2+2x1 ALU	2	120 x 60	140.5 x 232 x 60	143(+1/-1) x 234(+1/-1)	1.3	S002200000131
S 2+2x2 ALU	4	120 x 60	271 x 242 x 60	273(+1/-1) x 244(+1/-1)	2.8	113491
S 2+2x3 ALU	6	120 x 60	401.5 x 242 x 60	404(+1/-1) x 244(+1/-1)	4	113492
S 2+2x4 ALU	8	120 x 60	532 x 242 x 60	534(+1/-1) x 244(+1/-1)	5.1	113493
S 4x1 ALU	1	120 x 120	140.5 x 179.5 x 60	143(+1/-1) x 182(+1/-1)	1	S004000000131
S 4x2 ALU	2	120 x 120	271 x 179.5 x 60	273(+1/-1) x 182(+1/-1)	1.6	S004000000231
S 4x3 ALU	3	120 x 120	401.5 x 179.5 x 60	404(+1/-1) x 182(+1/-1)	2.3	S004000000331
S 4x4 ALU	4	120 x 120	532 x 179.5 x 60	534(+1/-1) x 182(+1/-1)	2.9	S004000000431
S 4x5 ALU	5	120 x 120	662.5 x 179.5 x 60	665(+1/-1) x 182(+1/-1)	3.6	S004000000531
S 4x6 ALU	6	120 x 120	793 x 179.5 x 60	793(+1/-1) x 182(+1/-1)	4.2	S004000000631
S 4+4x1 ALU	2	120 x 120	140.5 x 349 x 60	143(+1/-1) x 351(+1/-1)	1.7	S004400000131
S 4+4x2 ALU	4	120 x 120	271 x 359 x 60	273(+1/-1) x 361(+1/-1)	3.2	S004400000231
S 4+4x3 ALU	6	120 x 120	401.5 x 359 x 60	404(+1/-1) x 361(+1/-1)	4.5	S004400000331
S 4+4x4 ALU	8	120 x 120	532 x 359 x 60	534(+1/-1) x 361(+1/-1)	5.8	S004400000431

11/11/2020

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxHxD (mm)	Weight (kg)	Art. No
S 4+4x5 ALU	10	120 x 120	662.5 x 359 x 60	665(+1/-1) x 361(+1/-1)	7.4	113528
S 4+4x6 ALU	12	120 x 120	793 x 359 x 60	793(+1/-1) x 361(+1/-1)	8.8	113529
S 6x1 ALU	1	120 x 180	140.5 x 238 x 60	143(+1/-1) x 240(+1/-1)	1.2	S006000000131
S 6x2 ALU	2	120 x 180	271 x 238 x 60	273(+1/-1) x 240(+1/-1)	1.9	S006000000231
S 6x3 ALU	3	120 x 180	401.5 x 238 x 60	404(+1/-1) x 240(+1/-1)	2.6	S006000000331
S 6x4 ALU	4	120 x 180	532 x 238 x 60	534(+1/-1) x 240(+1/-1)	3.4	S006000000431
S 6x5 ALU	5	120 x 180	662.5 x 238 x 60	665(+1/-1) x 240(+1/-1)	4.1	S006000000531
S 6x6 ALU	6	120 x 180	793 x 238 x 60	793(+1/-1) x 240(+1/-1)	4.9	S006000000631
S 6+6x1 ALU	2	120 x 180	140.5 x 466 x 60	143(+1/-1) x 468(+1/-1)	2.1	S006600000131
S 6+6x2 ALU	4	120 x 180	271 x 476 x 60	273(+1/-1) x 478(+1/-1)	3.8	S006600000231
S 6+6x3 ALU	6	120 x 180	401.5 x 476 x 60	404(+1/-1) x 478(+1/-1)	5.3	S006600000331
S 6+6x4 ALU	8	120 x 180	532 x 476 x 60	534(+1/-1) x 478(+1/-1)	6.8	S006600000431
S 6+6x5 ALU	10	120 x 180	662.5 x 476 x 60	665(+1/-1) x 478(+1/-1)	8.2	S006600000531
S 6+6x6 ALU	12	120 x 180	793 x 476 x 60	793(+1/-1) x 478(+1/-1)	9.7	S006600000631
S 8x1 ALU	1	120 x 240	140.5 x 298 x 60	143(+1/-1) x 300(+1/-1)	1.3	S008000000131
S 8x2 ALU	2	120 x 240	271 x 298 x 60	273(+1/-1) x 300(+1/-1)	2.2	S008000000231
S 8x3 ALU	3	120 x 240	401.5 x 298 x 60	404(+1/-1) x 300(+1/-1)	3	S008000000331
S 8x4 ALU	4	120 x 240	532 x 298 x 60	534(+1/-1) x 300(+1/-1)	3.9	S008000000431
S 8x5 ALU	5	120 x 240	662.5 x 298 x 60	665(+1/-1) x 300(+1/-1)	4.7	S008000000531
S 8x6 ALU	6	120 x 240	793 x 298 x 60	793(+1/-1) x 300(+1/-1)	5.6	S008000000631
S 8+8x1 ALU	2	120 x 240	140.5 x 586 x 60	143(+1/-1) x 588(+1/-1)	2.5	S008800000131
S 8+8x2 ALU	4	120 x 240	271 x 596 x 60	273(+1/-1) x 598(+1/-1)	4.5	5S00000007144
S 8+8x3 ALU	6	120 x 240	401.5 x 596 x 60	404(+1/-1) x 598(+1/-1)	6.2	5S00000008024
S 8+8x4 ALU	8	120 x 240	532 x 596 x 60	534(+1/-1) x 598(+1/-1)	8	113596

Primed mild steel

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxHxD (mm)	Weight (kg)	Art. No
S 2x1 PRIMED	1	120 x 60	140.5 x 121 x 60	143(+1/-1) x 123(+1/-1)	2.2	S002000000112
S 2x2 PRIMED	2	120 x 60	271 x 121 x 60	273(+1/-1) x 123(+1/-1)	3.9	S002000000212
S 2x3 PRIMED	3	120 x 60	401.5 x 121 x 60	404(+1/-1) x 123(+1/-1)	5.5	S002000000312
S 2x4 PRIMED	4	120 x 60	532 x 121 x 60	534(+1/-1) x 123(+1/-1)	7.1	S002000000412
S 2x5 PRIMED	5	120 x 60	662.5 x 121 x 60	665(+1/-1) x 123(+1/-1)	8.7	S002000000512
S 2x6 PRIMED	6	120 x 60	793 x 121 x 60	793(+1/-1) x 123(+1/-1)	10.3	S002000000612
S 2+2x1 PRIMED	2	120 x 60	140.5 x 232 x 60	143(+1/-1) x 234(+1/-1)	3.6	5S00000000625
S 2+2x2 PRIMED	4	120 x 60	271 x 242 x 60	273(+1/-1) x 244(+1/-1)	8	110303

11/11/2020

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxHxD (mm)	Weight (kg)	Art. No
S 2+2x3 PRIMED	6	120 x 60	401.5 x 242 x 60	404(+1/-1) x 244(+1/-1)	11.4	5S00000002485
S 2+2x4 PRIMED	8	120 x 60	532 x 242 x 60	534(+1/-1) x 244(+1/-1)	21.1	5S00000002486
S 2+2x5 PRIMED	10	120 x 60	662.5 x 242 x 60	665(+1/-1) x 244(+1/-1)	18	113393
S 2+2x6 PRIMED	12	120 x 60	793 x 242 x 60	793(+1/-1) x 244(+1/-1)	21.5	113394
S 4x1 PRIMED	1	120 x 120	140.5 x 179.5 x 60	143(+1/-1) x 182(+1/-1)	2.8	S004000000112
S 4x2 PRIMED	2	120 x 120	271 x 179.5 x 60	273(+1/-1) x 182(+1/-1)	4.7	S004000000212
S 4x3 PRIMED	3	120 x 120	401.5 x 179.5 x 60	404(+1/-1) x 182(+1/-1)	6.6	S004000000312
S 4x4 PRIMED	4	120 x 120	532 x 179.5 x 60	534(+1/-1) x 182(+1/-1)	8.5	S004000000412
S 4x5 PRIMED	5	120 x 120	662.5 x 179.5 x 60	665(+1/-1) x 182(+1/-1)	10.3	S004000000512
S 4x6 PRIMED	6	120 x 120	793 x 179.5 x 60	793(+1/-1) x 182(+1/-1)	12.2	S004000000612
S 4+4x1 PRIMED	2	120 x 120	140.5 x 349 x 60	143(+1/-1) x 351(+1/-1)	4.7	S004400000112
S 4+4x2 PRIMED	4	120 x 120	271 x 359 x 60	273(+1/-1) x 361(+1/-1)	9.5	S004400000212
S 4+4x3 PRIMED	6	120 x 120	401.5 x 359 x 60	404(+1/-1) x 361(+1/-1)	13.5	S004400000312
S 4+4x4 PRIMED	8	120 x 120	532 x 359 x 60	534(+1/-1) x 361(+1/-1)	17.1	S004400000412
S 4+4x5 PRIMED	10	120 x 120	662.5 x 359 x 60	665(+1/-1) x 361(+1/-1)	21	S004400000512
S 4+4x6 PRIMED	12	120 x 120	793 x 359 x 60	793(+1/-1) x 361(+1/-1)	24.8	S004400000612
S 6x1 PRIMED	1	120 x 180	140.5 x 238 x 60	143(+1/-1) x 240(+1/-1)	3.3	S006000000112
S 6x2 PRIMED	2	120 x 180	271 x 238 x 60	273(+1/-1) x 240(+1/-1)	5.5	S006000000212
S 6x3 PRIMED	3	120 x 180	401.5 x 238 x 60	404(+1/-1) x 240(+1/-1)	7.7	S006000000312
S 6x4 PRIMED	4	120 x 180	532 x 238 x 60	534(+1/-1) x 240(+1/-1)	9.8	S006000000412
S 6x5 PRIMED	5	120 x 180	662.5 x 238 x 60	665(+1/-1) x 240(+1/-1)	12	S006000000512
S 6x6 PRIMED	6	120 x 180	793 x 238 x 60	793(+1/-1) x 240(+1/-1)	14.2	S006000000612
S 6+6x1 PRIMED	2	120 x 180	140.5 x 466 x 60	143(+1/-1) x 468(+1/-1)	6	S006600000112
S 6+6x2 PRIMED	4	120 x 180	271 x 476 x 60	273(+1/-1) x 478(+1/-1)	11.1	S006600000212
S 6+6x3 PRIMED	6	120 x 180	401.5 x 476 x 60	404(+1/-1) x 478(+1/-1)	15.5	S006600000312
S 6+6x4 PRIMED	8	120 x 180	532 x 476 x 60	534(+1/-1) x 478(+1/-1)	19.9	S006600000412
S 6+6x5 PRIMED	10	120 x 180	662.5 x 476 x 60	665(+1/-1) x 478(+1/-1)	24.3	S006600000512
S 6+6x6 PRIMED	12	120 x 180	793 x 476 x 60	793(+1/-1) x 478(+1/-1)	28.6	S006600000612
S 8x1 PRIMED	1	120 x 240	140.5 x 298 x 60	143(+1/-1) x 300(+1/-1)	3.9	S008000000112
S 8x2 PRIMED	2	120 x 240	271 x 298 x 60	273(+1/-1) x 300(+1/-1)	6.4	S008000000212
S 8x3 PRIMED	3	120 x 240	401.5 x 298 x 60	404(+1/-1) x 300(+1/-1)	8.2	S008000000312
S 8x4 PRIMED	4	120 x 240	532 x 298 x 60	534(+1/-1) x 300(+1/-1)	10.4	S008000000412
S 8x5 PRIMED	5	120 x 240	662.5 x 298 x 60	665(+1/-1) x 300(+1/-1)	12.6	S008000000512
S 8x6 PRIMED	6	120 x 240	793 x 298 x 60	793(+1/-1) x 300(+1/-1)	14.7	S008000000612
S 8+8x1 PRIMED	2	120 x 240	140.5 x 586 x 60	143(+1/-1) x 588(+1/-1)	7	S008800000112
S 8+8x2 PRIMED	4	120 x 240	271 x 596 x 60	273(+1/-1) x 598(+1/-1)	12.3	S008800000212

11/11/2020

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxHxD (mm)	Weight (kg)	Art. No
S 8+8x3 PRIMED	6	120 x 240	401.5 x 596 x 60	404(+1/-1) x 598(+1/-1)	17.5	S008800000312
S 8+8x4 PRIMED	8	120 x 240	532 x 596 x 60	534(+1/-1) x 598(+1/-1)	21	S008800000412

Stainless steel

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxHxD (mm)	Weight (kg)	Art. No
S 2x1 AISI316	1	120 x 60	140.5 x 121 x 60	143(+1/-1) x 123(+1/-1)	2.2	S002000000121
S 2x2 AISI316	2	120 x 60	271 x 121 x 60	273(+1/-1) x 123(+1/-1)	3.9	S002000000221
S 2x3 AISI316	3	120 x 60	401.5 x 121 x 60	404(+1/-1) x 123(+1/-1)	5.5	S002000000321
S 2x4 AISI316	4	120 x 60	532 x 121 x 60	534(+1/-1) x 123(+1/-1)	7.1	S002000000421
S 2x5 AISI316	5	120 x 60	662.5 x 121 x 60	665(+1/-1) x 123(+1/-1)	8.7	S002000000521
S 2x6 AISI316	6	120 x 60	793 x 121 x 60	793(+1/-1) x 123(+1/-1)	10.3	S002000000621
S 2+2x1 AISI316	2	120 x 60	140.5 x 232 x 60	143(+1/-1) x 234(+1/-1)	4	5S00000013039
S 2+2x2 AISI316	4	120 x 60	271 x 242 x 60	273(+1/-1) x 244(+1/-1)	8	108153
S 2+2x3 AISI316	6	120 x 60	401.5 x 242 x 60	404(+1/-1) x 244(+1/-1)	11.6	113285
S 2+2x4 AISI316	8	120 x 60	532 x 242 x 60	534(+1/-1) x 244(+1/-1)	15.1	113286
S 4x1 AISI316	1	120 x 120	140.5 x 179.5 x 60	143(+1/-1) x 182(+1/-1)	2.8	S004000000121
S 4x2 AISI316	2	120 x 120	271 x 179.5 x 60	273(+1/-1) x 182(+1/-1)	4.7	S004000000221
S 4x3 AISI316	3	120 x 120	401.5 x 179.5 x 60	404(+1/-1) x 182(+1/-1)	6.6	S004000000321
S 4x4 AISI316	4	120 x 120	532 x 179.5 x 60	534(+1/-1) x 182(+1/-1)	8.5	S004000000421
S 4x5 AISI316	5	120 x 120	662.5 x 179.5 x 60	665(+1/-1) x 182(+1/-1)	10.3	S004000000521
S 4x6 AISI316	6	120 x 120	793 x 179.5 x 60	793(+1/-1) x 182(+1/-1)	12.2	S004000000621
S 4+4x1 AISI316	2	120 x 120	140.5 x 349 x 60	143(+1/-1) x 351(+1/-1)	4.8	S004400000121
S 4+4x2 AISI316	4	120 x 120	271 x 359 x 60	273(+1/-1) x 361(+1/-1)	9.5	5S00000002480
S 4+4x3 AISI316	6	120 x 120	401.5 x 359 x 60	404(+1/-1) x 361(+1/-1)	13.1	5S00000000718
S 4+4x4 AISI316	8	120 x 120	532 x 359 x 60	534(+1/-1) x 361(+1/-1)	16.9	5S00000001051
S 4+4x5 AISI316	10	120 x 120	662.5 x 359 x 60	665(+1/-1) x 361(+1/-1)	22	5S00000000717
S 4+4x6 AISI316	12	120 x 120	793 x 359 x 60	793(+1/-1) x 361(+1/-1)	24.4	5S00000004159
S 6x1 AISI316	1	120 x 180	140.5 x 238 x 60	143(+1/-1) x 240(+1/-1)	3.3	S006000000121
S 6x2 AISI316	2	120 x 180	271 x 238 x 60	273(+1/-1) x 240(+1/-1)	5.5	S006000000221
S 6x3 AISI316	3	120 x 180	401.5 x 238 x 60	404(+1/-1) x 240(+1/-1)	7.7	S006000000321
S 6x4 AISI316	4	120 x 180	532 x 238 x 60	534(+1/-1) x 240(+1/-1)	9.8	S006000000421
S 6x5 AISI316	5	120 x 180	662.5 x 238 x 60	665(+1/-1) x 240(+1/-1)	12	S006000000521
S 6x6 AISI316	6	120 x 180	793 x 238 x 60	793(+1/-1) x 240(+1/-1)	14.2	S006000000621
S 6+6x1 AISI316	2	120 x 180	140.5 x 466 x 60	143(+1/-1) x 468(+1/-1)	5.8	S006600000121
S 6+6x2 AISI316	4	120 x 180	271 x 476 x 60	273(+1/-1) x 478(+1/-1)	11.1	S006600000221
S 6+6x3 AISI316	6	120 x 180	401.5 x 476 x 60	404(+1/-1) x 478(+1/-1)	15.5	S006600000321
S 6+6x4 AISI316	8	120 x 180	532 x 476 x 60	534(+1/-1) x 478(+1/-1)	19.9	S006600000421

11/11/2020

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxHxD (mm)	Weight (kg)	Art. No
S 6+6x5 AISI316	10	120 x 180	662.5 x 476 x 60	665(+1/-1) x 478(+1/-1)	24.3	S006600000521
S 6+6x6 AISI316	12	120 x 180	793 x 476 x 60	793(+1/-1) x 478(+1/-1)	28.6	S006600000621
S 8x1 AISI316	1	120 x 240	140.5 x 298 x 60	143(+1/-1) x 300(+1/-1)	3.9	S008000000121
S 8x2 AISI316	2	120 x 240	271 x 298 x 60	273(+1/-1) x 300(+1/-1)	6.4	S008000000221
S 8x3 AISI316	3	120 x 240	401.5 x 298 x 60	404(+1/-1) x 300(+1/-1)	8.2	S008000000321
S 8x4 AISI316	4	120 x 240	532 x 298 x 60	534(+1/-1) x 300(+1/-1)	10.4	S008000000421
S 8x5 AISI316	5	120 x 240	662.5 x 298 x 60	665(+1/-1) x 300(+1/-1)	14.2	S008000000521
S 8x6 AISI316	6	120 x 240	793 x 298 x 60	793(+1/-1) x 300(+1/-1)	14.7	S008000000621
S 8+8x1 AISI316	2	120 x 240	140.5 x 586 x 60	143(+1/-1) x 588(+1/-1)	7	S008800000121
S 8+8x2 AISI316	4	120 x 240	271 x 596 x 60	273(+1/-1) x 598(+1/-1)	12.9	5S00000005952
S 8+8x3 AISI316	6	120 x 240	401.5 x 596 x 60	404(+1/-1) x 598(+1/-1)	17.8	5S00000010033
S 8+8x4 AISI316	8	120 x 240	532 x 596 x 60	534(+1/-1) x 598(+1/-1)	22.6	5S00000003992



SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk