

SERIES

651








652

653



Repair Kits and Service Parts

651/652/653 Series - Spare Parts Kits

		Description	Series	Kit Number
Bowls*		Polycarbonate Bowl & Bowl Guard - Includes NBR Bowl Seal for Filters, Filter-Regulators and Lubricators (Electronic Liquid Level Indicator only)	651	M651AU434133001
			652	M652AU440511001
			653	M653AU507439001
		Polycarbonate Bowl & Bowl Guard - Includes NBR Bowl Seal for Lubricators.	651	M651AU434133008
			652	M652AU440511008
			653	M653AU507439006
		Metal bowl without sight gauge. Includes NBR Bowl Seal.	651	M651AU434133002
			652	M652AU440511002
			653	M653AU507439002
		Metal bowl without sight gauge. Includes FKM Bowl Seal.	651	M651AU434133011
			652	M652AU440511011
			653	M653AU507439005
	Metal bowl with borosilicate (glass) sight gauge. Includes NBR Bowl Seal.	651	M651AU434133004	
		652	M652AU440511004	
		653	M653AU507439004	
	Metal bowl with borosilicate (glass) sight gauge. Includes FKM Bowl Seal.	651	M651AU434133015	
		652	M652AU440511015	
		653	M653AU507439013	
High Pressure Bowls		Metal bowl without sight gauge. Includes NBR Bowl Seal.	653	M653AU507439002
		Metal bowl without sight gauge. Includes FKM Bowl Seal.	653	M653AU507439005
		Metal bowl with borosilicate (glass) sight gauge. Includes NBR Bowl Seal.	653	M653AU507439004
		Metal bowl with borosilicate (glass) sight gauge. Includes FKM Bowl Seal.	653	M653AU507439013
High Flow Bowls		Metal bowl without sight gauge. Includes NBR Bowl Seal. (Coalescing Filter and Filter/Regulator High Flow)	653	M653AU523308001
		Metal bowl without sight gauge. Includes FKM Bowl Seal. (Coalescing Filter and Filter/Regulator High Flow)	653	M653AU523308002

* For lubricator replacement metal bowls, please also order bowl plug p/n M699AQ440512001. This is not required if the Electronic Liquid Level Indicator is used.

Repair Kits and Service Parts

651/652/653 Series - Spare Parts Kits

	Description	Series	Kit Number
Drains	 Drain Plug Assembly. Provides an option to customers that do not want to use a bowl drain. Includes NBR seal.	651 652 653	M699AQ440512001
	 Semi-Automatic/Manual Drain Assembly - with NBR seals. This normally open drain can be used as a manual drain or set to semi-automatic, which will drain the bowl upon a loss of system pressure. Drain material is plastic.	651 652 653	M699AQ440512002
	 Semi-Automatic/Manual Drain Assembly - with FKM seals. This normally open drain can be used as a manual drain or set to semi-automatic, which will drain the bowl upon a loss of system pressure. Drain material is plastic.	651 652 653	M699AQ440512007
	 Manual Stainless Steel Drain Assembly - with NBR seals. Provides the user with an alternative to the plastic semi-automatic drain.	651 652 653	M699AQ440512003
	 Manual Stainless Steel Drain Assembly - with FKM seals. Provides the user with an alternative to the plastic semi-automatic drain.	651 652 653	M699AQ440512008
	 Automatic Drain Assembly - with NBR seals. This drain uses a float that initiates the bowl to drain when the liquid rises. In addition, all fluid will drain when the pressure drops below 22 PSI. Drain material is brass. This drain can also be operated manually.	651 652 653	M699AQ501862001
Bowl & Drain Assembly		651	M651AU514009001
		652	M652AU513311001
		653	M653AU514103001
Bowl Seal Kits		651	M651AH507403001
		652	M652AH507085001
		653	M653AH514106001
	U-Cup Seal Kit (FKM Seals). Kit contains 10 U-Cup seals.	651	M651AH507403002
		652	M652AH507085002
		652	M653AH514106002
Side Cover Kits		651	M651AY524218001
		652	M652AY524218002
		653	M653AY524218003

SERIES

651

652

653



Repair Kits and Service Parts

651/652/653 Series - Spare Parts Kits









		Description	Series	Kit Number	Color
Filter Elements		5 Micron Particulate Filter Element	651	M651AE434063001	White
			652	M652AE433582001	
			653	M653AE439490001	
		25 Micron Particulate Filter Element	651	M651AE434063002	Yellow
			652	M652AE433582002	
			653	M653AE439490002	
		0,3 Micron Coalescing Filter Element	651	M651AE525276001	Green
			652	EKF22D	
		0,3 Micron Coalescing Filter Element (High Flow)	653	M653AE516209001	
			651	M651AE525276003	
		0,01 Micron Coalescing Filter Element	652	EKF22E	
		0,01 Micron Coalescing Filter Element (High Flow)	653	EKF32E	
		0,3 Micron Coalescing Filter Element - with 3 Micron pre-filter	651	M651AE525276002	Green
			652	EKF22DD	
		0,3 Micron Coalescing Filter Element - with 3 Micron pre-filter (High Flow)	653	EKF32DD	
			653	M653AE516209002	
		0,01 Micron Coalescing Filter Element - with 3 Micron pre-filter	651	M651AE525276004	Red
			652	EKF22ED	
		0,01 Micron Coalescing Filter Element - with 3 Micron pre-filter (High Flow)	653	EKF32ED	
			653	M653AE516209004	
		Adsorber (Activated Carbon) Filter	651	EKF12F	Grey
			652	EKF22F	
			653	EKF32F	
		Adsorber (Activated Carbon) Filter (High Flow)	653	M653AE516209005	

01815GB-2017/R02
Availability, design and specifications are subject to change without notice. All rights reserved.

All leaflets are available on: www.ascocom

Repair Kits and Service Parts

651/652/653 Series - Air Prep Assembly and Mounting Kits

	Description	Series	Kit Number		
	Body-to-Body Assembly Clamps (Includes NBR O-Ring). Clamp material is aluminum.	651	P651AT504958001		
		652	P652AT502466001		
		653	P653AT507291001		
	Body-to-Body Assembly Clamps (Include FKM O-Ring). Clamp material is aluminum.	651	P651AT504958003		
		652	P652AT502466003		
		653	P653AT507291003		
	End Plate Kit: Includes two end plates and body-to-body assembly clamps & O-Ring. End plate material is aluminum.	NBR O-Ring	1/4 ISO228/1-G	651	T651AT504959002
			1/2 ISO228/1-G	652	T652AT502468002
			1 ISO228/1-G	653	T653AT507292002
			1 1/4 ISO228/1-G	653	T653AT507292020
		FKM O-Ring	1/4 ISO228/1-G	651	T651AT504959008
			1/2 ISO228/1-G	652	T652AT502468008
			1 ISO228/1-G	653	T653AT507292008
			1 1/4 ISO228/1-G	653	T653AT507292026
	Wall/Panel Bracket Kit includes one bracket and two screws for attaching bracket to body clamp. Two brackets are required for mounting three or more products. One bracket is suitable for mounting two products. Material is aluminum.	651 652 653	P699AT502467001		
	Side Mounting Brackets (Includes two brackets): Designed for mounting single products to wall or panel, but is capable of handling up to 3 stations. Material is stainless steel. Recommended only for static applications (without vibration).	651	P651AT503860001		
		652	P652AT503860002		
		653	P653AT503860003		
	Panel Nut: Used for Regulators and Filter-Regulators where adjustment knob is fed through a panel and the panel nut is then used to secure the product to the panel. Material is polyamide.	651	P651AT513928001		
		652	P652AT513177001		
	Panel Nut & Bracket: The panel nut and bracket are used to mount a Regulator or Filter-Regulator to a wall or panel. Materials are stainless steel and polyamide.	651	P651AT503861001		
		652	P652AT503861002		
	Series Transition Kit: Includes two body clamps, transition plate and o-rings.	NBR O-Ring	651 to 652	T651AT519193001	
			652 to 653	T652AT519194001	
		FKM O-Ring	651 to 652	T651AT519193002	
			652 to 653	T652AT519194002	
	Series Transition Kit: Includes two body clamps, transition plate and o-rings.	NBR O-Ring	652 to 651	T652AT519193003	
			653 to 652	T653AT519194003	
		FKM O-Ring	652 to 651	T652AT519193004	
			653 to 652	T653AT519194004	

SERIES

651





652

653



Repair Kits and Service Parts





651/652/653 Series - Air Prep Assembly and Mounting Kits

	Description			Series	Kit Number
	Panel Adapter P1 + P2 to mount product on both side of the panel. Certified NEMA 4 and IP66.	FKM O-Ring	not threaded	651	T651AT522204001
				652	T652AT519954001
	P2 Panel Adapter to connect P1 inlet. Certified NEMA 4 and IP66.	FKM O-Ring	1/2 ISO228/1-G	651	T651AT522204003
				652	T652AT519954003
	P1 Panel Adapter to connect P2 outlet. Certified NEMA 4 and IP66.	FKM O-Ring	1/2 ISO228/1-G	651	T651AT522204005
				652	T652AT519954005
	Kit Contains 10 O-Ring seals for body to body kit.	NBR O-Ring		651	M651AH536213001
				652	M652AH536214001
				653	M653AH536215001
		FKM O-Ring		651	M651AH536213002
				652	M652AH536214002
				653	M653AH536215002

01815GE-2018/R02
Availability, design and specifications are subject to change without notice. All rights reserved.

Repair Kits and Service Parts

651/652/653 Series - Spare Parts Kits

		Description	Series	Kit Number
No Gauge		No Gauge Cover Kit - NBR Seal. Includes gauge cover, screw and o-ring	651 652 653	M699AG503396001
		No Gauge Cover Kit - FPM Seal. Includes gauge cover, screw and o-ring	651 652 653	M699AG503396002
Integrated gauges*		Integrated Gauge - 651/652/653 Series: 0-6 bar Scale with NBR seals	651 652 653	M699AG438047002
		Integrated Gauge - 651/652/653 Series: 0-6 bar Scale with FPM seals	651 652 653	M699AG438047014
		Integrated Gauge - 651/652/653 Series: 0-12 bar Scale with NBR seals	651 652 653	M699AG438047001
		Integrated Gauge - 651/652/653 Series: 0-12 bar Scale with FPM seals	651 652 653	M699AG438047013
		Integrated Gauge - 653 Series and SOV: 0-25 bar Scale with NBR seals	651 652 653	M699AG438047003
		Integrated Gauge - 653 Series and SOV: 0-25 bar Scale with FPM seals	651 652 653	M699AG438047015
		Pressure Range Indicators (Red/Green) for low profile integrated gauges. Desired range can be easily set in the field. This kit allows customers to add the pressure range indicator to existing low profile integrated gauges in the field.	651 652 653	M699AG500179001
		Integrated Gauge with Pressure Range Indicators - 651/652/653 Series: 0-6 bar Scale with NBR seals	651 652 653	M699AG438047008
		Integrated Gauge with Pressure Range Indicators - 651/652/653 Series: 0-12 bar Scale with NBR seals	651 652 653	M699AG438047007
		Integrated Gauge with Pressure Range Indicators - 653 Series and Shut-off Isolation Valves: 0-25 bar Scale with NBR seals	651 652 653	M699AG438047009

* Each of the Integrated and Round Gauges are dual scale. The scale that is listed in the description has the units located near the outside of the scale. The other units would be on the inside.

Note: For all pressure switches & round gauges that are added to the 651/652/653 series products in the field, a port plate is required. The port plate can be added at the time of order entry or as a kit.

SERIES

651






652

653



Repair Kits and Service Parts

651/652/653 Series - Spare Parts Kits








		Description	Series	Kit Number
Digital Gauge		Digital Pressure Gauge - 651/652/653 Series: 0-145 PSI Scale (User can change units; bar,MPa, Kg/cm ²) 1/8" ISO 7/1 Rc	651 652 653	M699AG504650002
Round Gauges*		Round Gauge - 0-4 bar 1/8 ISO 7/1 Rc and 40 mm Face Diameter	651 652 653	34300015
		Round Gauge - 0-10 bar 1/8 ISO 7/1 Rc and 40 mm Face Diameter	651 652 653	34300014
		Round Gauge - 0-12 bar 1/8 ISO 7/1 Rc and 40 mm Face Diameter	651 652 653	34300041
		Round Gauge - 0-25 bar 1/8 ISO 7/1 Rc and 50 mm Face Diameter	651 652 653	34200063
		Round Gauge - 0-4 bar 1/8 ISO 7/1 Rc and 50 mm Face Diameter	651 652 653	34200061
		Round Gauge - 0-12 bar 1/8 ISO 7/1 Rc and 50 mm Face Diameter	651 652 653	34200062
		Round Gauge - 0-16 bar 1/8 ISO 7/1 Rc and 50 mm Face Diameter	651 652 653	34200997
			Stainless Steel Round Gauge - 0-12 bar 1/8 ISO 7/1 Rc and 50 mm Face Diameter	651 652 653
Port Plates		Gauge Port Plate Assembly - 1/8 ISO 7/1 Rc	651 652 653	M699AG440510002
Pressure Switch/Sensor		DPS280 Pressure Switch/Sensor - NPN M8 with Cable 1/8 ISO 7/1 Rc	651 652 653	DPS280NRQ8
		DPS280 Pressure Switch/Sensor - PNP M8 with Cable 1/8 ISO 7/1 Rc	651 652 653	DPS280PRQ8

* Each of the Integrated and Round Gauges are dual scale. The scale that is listed in the description has the units located near the outside of the scale. The other units would be on the inside.

Note: For all pressure switches & round gauges that are added to the 651/652/653 series products in the field, a port plate is required. The port plate can be added at the time of order entry or as a kit.

Repair Kits and Service Parts

651/652/653 Series - Spare Parts Kits

		Description	Series	Kit Number
Lubricator Repair Kits		Lubricator dome repair kit - NBR seals. Includes dome cover, screw and o-rings.	651 652 653	M699AY506842001
		Lubricator dome repair kit - FKM seals. Includes dome cover, screw and o-rings.	651 652 653	M699AY506842002
		Lubricator Level Switch assembly kit. Includes level switch, stainless steel retainer ring, o-ring and bushing.	651 652 653	M699AG506837001
		Lubricator Bowl Plug assembly: Includes Lubricator bowl plug, stainless steel retainer ring and NBR o-ring.	651 652 653	M699AQ440512001
Filter Kits		Particulate Filter Repair Kit - Includes the filter retainer, head baffle, lower end cap and bowl baffle.	651	M651AY570170001
			652	M652AY506833001
			653	M653AY514105001
		Differential Pressure Pop-Up Indicator (NBR Seals). This is used for the Coalescing Filters to provide visual indication when the filter element needs to be replaced.	651 652 653	M699AG439851001
		Differential Pressure Pop-Up Indicator (FKM Seals). This is used for the Coalescing Filters to provide visual indication when the filter element needs to be replaced.	651 652 653	M699AG439851004
		DPI Plug (NBR Seals). This is used to plug the top port on the filter when a Differential Pressure Indicator is not used.	651 652 653	M699AG439851002
		DPI Plug (FKM Seals). This is used to plug the top port on the filter when a Differential Pressure Indicator is not used.	651 652 653	M699AG439851005
		Electric Differential Pressure Indicator (NBR Seals). This is used for the Coalescing Filter only. It provides a contact that will actuate when the filter element needs to be replaced.	651 652 653	M699AG439851003

SERIES

651

652

653



Repair Kits and Service Parts

651/652/653 Series - Spare Parts Kits



	Description	Series	Kit Number	
Regulator & Filter Regulator Kits		651	M651AY514012001	
		652	M652AY506952001	
		653	M653AY514104001	
		651	M651AY514012002	
		652	M652AY506952002	
		653	M653AY514104002	
		651	M651AY514012003	
		652	M652AY506952003	
		653	M653AY514104003	
		651	M651AY519042001	
		652	M652AY519042003	
		653	M653AY519042005	
		651	M651AY519042002	
		652	M652AY519042004	
		653	M653AY519042006	
		Poppet Repair Kit (NBR Seals): Includes poppet, stem & seals.	651	M651AY507175001
			652	M652AY506863001
			653	M653AY507270001
		Poppet Repair Kit (FKM Seals): Includes poppet, stem & seals.	651	M651AY507175002
			652	M652AY506863002
			653	M653AY507270002
		Diaphragm Assembly Repair Kit (Pilot Operated Regulator NBR Seals).	652	M652AH435268001
		Diaphragm Assembly Repair Kit (Pilot Operated Regulator FKM Seals).	652	M652AH435268002
		Diaphragm Assembly Repair Kit (Relieving Regulator NBR Seals)	651	M651AH504954001
			652	M652AH434213001
			653	M653AH502120001
		Diaphragm Assembly Repair Kit (Relieving Regulator FKM Seals)	651	M651AH504954002
			652	M652AH434213002
			653	M653AH502120002
		Diaphragm Assembly Repair Kit (Non-Relieving Regulator NBR Seals)	651	M651AH504954003
652			M652AH434213003	
653			M653AH502120003	
Diaphragm Assembly Repair Kit (Non-Relieving Regulator - FKM Seals)		651	M651AH504954004	
		652	M652AH434213004	
		653	M653AH502120004	
	Main Spring (3 bar)	651	M651AY514010001	
		652	M652AY513313001	
		653	M653AY516711001	
	Main Spring (4 bar)	651	M651AY504691001	
		652	M652AY438708001	
		653	M653AY516710001	
	Main Spring (8 bar)	651	M651AY504692001	
		652	M652AY438709001	
		653	M653AY516709001	
	Main Spring (10 bar)	651	M651AY514011001	
		652	M652AY513314001	
		653	M653AY516708001	

01815GB-2017/R02
Availability, design and specifications are subject to change without notice. All rights reserved.

All leaflets are available on: www.asco.com

Repair Kits and Service Parts

651/652/653 Series - Spare Parts Kits

		Description	Series	Part/Kit Number
3/2 Slow Start - Quick Exhaust Valve Kits		Horizontal Solenoid Operator (190) - With Impulse Manual Operator	651 652	19090017
		Horizontal Solenoid Operator (190) - Without Manual Override	651 652	19090005
		24 VDC coil with 4 Pin M12 Connection, for 190 Pilot Horizontal Solenoid Operator	651 652	43005525
		24 VDC coil with DIN Spade connection for 190 Pilot Horizontal Solenoid Operator	651 652	43004473
		120 VAC coil with DIN Spade connection for 190 Pilot Horizontal Solenoid Operator	651 652	43004471
		24 VAC coil with DIN Spade connection for 190 Pilot Horizontal Solenoid Operator	651 652	43004469
		240 VAC coil with DIN Spade connection for 190 Pilot Horizontal Solenoid Operator	651 652	43004472
		DIN Connector, without LED - 190 Pilot Horizontal Solenoid Operator	651 652	88122602
		DIN Connector, with LED, for 24 VAC/DC coil - 190 Pilot Horizontal Solenoid Operator	651 652	88122603
		DIN Connector, with LED, for 120 VAC coil - 190 Pilot Horizontal Solenoid Operator	651 652	88122605
	DIN Connector, with LED, for 240 VAC coil - 190 Pilot Horizontal Solenoid Operator	651 652	88122608	
		Vertical Solenoid Operator (189) - Without Manual Override	651 652	18990007
		24 VDC coil with 4 Pin M12 Connection, for 189 Pilot Vertical Solenoid Operator	651 652	43005523
		24 VDC coil with DIN Spade connection for 189 Pilot Vertical Solenoid Operator	651 652	43004166
		120 VAC coil with DIN Spade connection for 189 Pilot Vertical Solenoid Operator	651 652	43004419
		24 VAC coil with DIN Spade connection for 189 Pilot Vertical Solenoid Operator	651 652	43004416
		240 VAC coil with DIN Spade connection for 189 Pilot Vertical Solenoid Operator	651 652	43004422
		DIN Connector, without LED - 189 Pilot Vertical Solenoid Operator	651 652	88122404
		DIN Connector, with LED, for 24 VAC/DC coil - 189 Pilot Vertical Solenoid Operator	651 652	88122405
		DIN Connector, with LED, for 120 VAC coil - 189 Pilot Vertical Solenoid Operator	651 652	88122407
DIN Connector, with LED, for 240 VAC coil - 189 Pilot Vertical Solenoid Operator		651 652	88122410	

SERIES

651




652

653



Repair Kits and Service Parts

651/652/653 Series - Spare Parts Kits

		Description	Series	Part/Kit Number
3/2 Slow Start - Quick Exhaust Valve Kits		Horizontal Solenoid Operator (192) - With Impulse Manual Operator	653	19291012
		Horizontal Solenoid Operator (192) - Without Manual Override	653	19291010
		24 VDC coil with 4 Pin M12 Connection, for 192 Pilot Horizontal Solenoid Operator	653	43005664
		24 VDC coil with DIN Spade connection for 192 Pilot Horizontal Solenoid Operator	653	43005642
		115 VAC/120 VAC coil with DIN Spade connection for 192 Pilot Horizontal Solenoid Operator	653	43005617
		24 VAC coil with DIN Spade connection for 192 Pilot Horizontal Solenoid Operator	653	43005604
		230 VAC/240 VAC coil with DIN Spade connection for 192 Pilot Horizontal Solenoid Operator	653	43005627
		DIN Connector, without LED - 192 Pilot Horizontal Solenoid Operator	653	88122602
		DIN Connector, with LED, for 24 VAC/DC coil - 192 Pilot Horizontal Solenoid Operator	653	88122603
		DIN Connector, with LED, for 115 VAC/120 VAC coil - 192 Pilot Horizontal Solenoid Operator	653	88122605
		DIN Connector, with LED, for 230 VAC/240 VAC coil - 192 Pilot Horizontal Solenoid Operator	653	88122608
Jumper Plate Kit		Jumper Plate Kit: For Air Operated Internally Piloted 3/2 Slow Start-QE Valve	651 652 653	M699AY513316001
Pilot Port Plate		Pilot Port Plate: For Air Operated Externally Piloted 3/2 Slow Start-QE Valve, 1/8 ISO 7/1 Rc	651 652 653	M699AY513318001
		Pilot Port Plate: For Air Operated Externally Piloted 3/2 Slow Start-QE Valve, 1/8 NPTF	651 652 653	M699AY513318002

All leaflets are available on: www.asco.com

Repair Kits and Service Parts

651/652/653 Series - Accessories

		Description	Series	Part Number
Scissor Lock		Scissor Lock for Shut-Off Isolation Valve & Lockout Valve	651 652 653	VB-1
Mufflers/Silencers		Metal Muffler – G 1/4 (Shut-Off Isolation Valves)	651 652	M2MB
		Metal Muffler – G 3/8 (Shut-Off Isolation Valves)	653	M3MB
		Metal Muffler – G 1/2 (Slow-Start/Quick Exhaust & Lockouts)	652	M4MB
		Metal Muffler – G 1 (Slow-Start/Quick Exhaust & Lockouts)	653	M6MB
		Polyethylene Muffler – G 1/4 (652 - Shut-Off Isolation Valve / 651 - Slow-Start/Quick Exhaust Valves)	651 652	34600407
		Polyethylene Muffler – G 3/8 (653 - Shut-Off Isolation Valve)	653	34600408
Polyethylene Muffler – G 1/2 (Slow-Start/Quick Exhaust & Lockouts)		652	34600409	
Key Locking Device		Key Locking Device for regulator (Lock supplied separately with 2 keys)	651 652 653	M699AY438663001

SERIES

651

652

653





SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk