DOWNLOADED FROM SCATTS.CO.UK

| 52003750 | DATA SHEET | LAPP |
|---|---|---|
| Valid from: 03.07.2018 | SKINDICHT® MR | |

The SKINDICHT® MR is a nickel-plated brass reducing ring with PG threads. It is used if threaded holes are already present on machines or equipment housings but are too large for the necessary glands.

## Technical features:

| | |
|---|---|
| Material | Brass, nickel-plated |
| External thread | PG9 up to PG48 acc. to DIN 40430 |
| Internal thread | PG7 up to PG42 acc. to DIN 40430 |
| Temperature range | -60°C up to +200°C |

**Norm references:**

CE



We reserve all rights according to DIN ISO 16016.


DOWNLOADED FROM SCATTS.CO.UK

DOWNLOADED FROM SCATTS.CO.UK

| 52003750 | **DATA SHEET** | LAPP |
|---|---|---|
| Valid from: 03.07.2018 | **SKINDICHT® MR** | |




| External tread PG1 | Internal thread PG2 | Diameter ØA mm | High C mm | High D mm | Article No. |
|---|---|---|---|---|---|
| PG 9 | PG 7 | 17 | 8,5 | 6 | 52003750 |
| PG 11 | PG 7 | 20 | 8,5 | 6 | 52003760 |
| PG 11 | PG 9 | 20 | 8,5 | 6 | 52003770 |
| PG 13,5 | PG 7 | 22 | 9 | 6,5 | 52003780 |
| PG 13,5 | PG 9 | 22 | 9 | 6,5 | 52003790 |
| PG 13,5 | PG 11 | 22 | 9 | 6,5 | 52003800 |
| PG 16 | PG 7 | 24 | 9,5 | 6,5 | 52003810 |
| PG 16 | PG 9 | 24 | 9,5 | 6,5 | 52003820 |
| PG 16 | PG 11 | 24 | 9,5 | 6,5 | 52003830 |
| PG 16 | PG 13,5 | 24 | 9,5 | 6,5 | 52003840 |
| PG 21 | PG 11 | 30 | 10 | 7 | 52003850 |
| PG 21 | PG 13,5 | 30 | 10 | 7 | 52003860 |
| PG 21 | PG 16 | 30 | 10 | 7 | 52003870 |
| PG 29 | PG 13,5 | 39 | 11,5 | 8 | 52003880 |
| PG 29 | PG 16 | 39 | 11,5 | 8 | 52003890 |
| PG 29 | PG 21 | 39 | 11,5 | 8 | 52003900 |
| PG 36 | PG 16 | 50 | 12,5 | 9 | 52003910 |
| PG 36 | PG 21 | 50 | 12,5 | 9 | 52003920 |
| PG 36 | PG 29 | 50 | 12,5 | 9 | 52003930 |
| PG 42 | PG 29 | 57 | 14 | 10 | 52003940 |
| PG 42 | PG 36 | 57 | 14 | 10 | 52003950 |
| PG 48 | PG 36 | 64 | 14 | 10 | 52003970 |
| PG 48 | PG 42 | 64 | 14 | 10 | 52003980 |

For more information please see our current catalogue. Please do not hesitate to contact our laboratory if there are any questions regarding resistance against aggressive agents and special oil.



We reserve all rights according to DIN ISO 16016.
PD 0019/05_04.18EN

DOWNLOADED FROM SCATTS.CO.UK

SCATTERGOOD & JOHNSON LTD
ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS
Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.




Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

**www.scatts.co.uk**