

Push-in Terminals Kit / Screw Terminals Kit







Push-in Terminals Kit for 1 Module

Double-Level Push-in Terminals for connecting ASi and AUX

Push-in Terminals for Gateways to connect ASi and AUX

Push-in Terminals Kit as a replacement for the terminal blocks of ASi Gateways

Screw Terminals Kit for 1 Module



Article no. BW3531: Push-in Terminals Kit for 1 Module

Article no. BW3420: Double Level Push-in Terminals for connecting ASi and AUX

Article no. BW3532: Screw Terminals Kit for 1 Module

Article no. BW3665: Double Level Push-in Terminals for connecting ASi

Article no. BW3906: Push-in Terminals Kit for ASi Gateways in Stainless Steel resp. ASi Gateways with integrated Safety Monitor to connect ASi and AUX

Article no. BW4043: Push-in Terminals Kit as a replacement for the terminal blocks of ASi Gateways

Article no.	BW3665	BW3420
General		
Packing unit	10 x double level push-in terminals, 2 poles, yellow	5 x double level push-in terminals, 2 poles, yellow + 5 x double level push-in terminals, 2 poles, gray
Pitch	5 mm	
Type of contact	socket (female), internally bridged	
Nominal cross section	1,5 mm ²	

Push-in Terminals Kit / Screw Terminals Kit



Article no.	BW3665	BW3420
Conductor cross section		
Conductor cross section solid	0,2 ... 1,5 mm ²	
2 conductors with same cross section, solid	-	
Conductor cross section, flexible	0,2 ... 1,5 mm ²	
2 conductors with same cross section, stranded	-	
Conductor cross section, flexible, with ferrule	• without plastic sleeve: 0,25 ... 1,5 mm ²	
	• with plastic sleeve: 0,25 ... 1,5 mm ²	
2 conductors with same cross section, stranded, with ferrules	-	
2 conductors with same cross section, stranded, with TWIN ferrules	-	
AWG	24 ... 16	
Stripped insulation length	10 mm	

Article no.	BW3906	BW3531	BW4043	BW3532
General				
Packing unit	6 x push-in terminals, 2 poles, yellow + 2 x push-in terminals 2 poles, black + 2 x push-in terminals, 3 poles, black	5 x push-in terminals, 4 poles, black + 1 x push-in terminals, 2 poles, yellow + 1 x push-in terminals, 2 poles, gray	2 x push-in terminals, 9 poles, green	5 x screw terminals, 4 poles, black + 1 x screw terminals, 2 poles, yellow + 1 x screw terminals, 2 poles, gray
Pitch	5 mm			
Type of contact	socket (female)			
Nominal cross section	2,5 mm ²			
Conductor cross section				
Conductor cross section solid	0,2 ... 2,5 mm ²			
2 conductors with same cross section, solid	-		0,2 ... 1,0 mm ²	
Conductor cross section, flexible	0,2 ... 2,5 mm ²			
2 conductors with same cross section, stranded	-		0,2 ... 1,5 mm ²	
Conductor cross section, flexible, with ferrule	• without plastic sleeve: 0,2 ... 2,5 mm ²		• without plastic sleeve: 0,25 ... 2,5 mm ²	
	• with plastic sleeve: 0,25 ... 2,5 mm ²			
2 conductors with same cross section, stranded, with ferrules	-		• without plastic sleeve: 0,25 ... 1,0 mm ²	
2 conductors with same cross section, stranded, with TWIN ferrules	• with plastic sleeve: 0,5 ... 1,5 mm ²		- • with plastic sleeve: 0,5 ... 1,5 mm ²	
AWG	24 ... 14		26 ... 12	
Stripped insulation length	10 mm			



**SCATTERGOOD
& JOHNSON LTD**
ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product manufacturers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk