

Plastic label - UCT4-EMLP (27X12,5) SR

1056550

<https://www.phoenixcontact.com/gb/products/1056550>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Plastic label, Sheet, silver, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD, mounting type: snap in, lettering field size: 27 x 12.5 mm

Your advantages

- The markers, which are supplied in uniform sheets, can be marked quickly, precisely, and easily
- Labeling service: Phoenix Contact can custom-label all UniCard markers according to your requirements
- The multi-section marking strips are easy to fit and can be easily separated if required
- The UCT4-EM(L)P... device markers are suitable for gluing into or latching into the SIEMENS SIRIUS ACT 3SU... button series marker carriers

Plastic label - UCT4-EMLP (27X12,5) SR



1056550

<https://www.phoenixcontact.com/gb/products/1056550>

Commercial Data

Order Key	1056550
Packing unit	10 pc
Minimum order quantity	10 pc
Sales Key	BG2418
Product Key	BG2418
Catalog Page	Page 312 (C-3-2019)
GTIN	4055626697420
Weight per Piece (including packing)	7.56 g
Weight per Piece (excluding packing)	7.56 g
Customs tariff number	39269097
Country of origin	PL

Plastic label - UCT4-EMLP (27X12,5) SR



1056550

<https://www.phoenixcontact.com/gb/products/1056550>

Technical Data

Ambient conditions

Ambient temperature (operation)	-40 °C ... 120 °C
---------------------------------	-------------------

Mounting

Mounting type	snap in
---------------	---------

Material specifications

Color	silver
Material	PC V0
Flammability rating according to UL 94	V0
Components	free from silicone and halogen

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 120 °C
---------------------------------	-------------------

Dimensions

Width	27 mm
Length	12.5 mm

Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

Plastic label - UCT4-EMLP (27X12,5) SR



1056550

<https://www.phoenixcontact.com/gb/products/1056550>

Classifications

ECLASS

ECLASS-9.0	27400629
ECLASS-10.0.1	27400629
ECLASS-11.0	27281103

ETIM

ETIM 6.0	EC001288
----------	----------

UNSPSC

UNSPSC 19.0	39131504
UNSPSC 20.0	39131504
UNSPSC 21.0	39131504

Phoenix Contact 2022 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT Ltd
Halesfield 13, Telford
Shropshire, TF7 4PG
01952 681700
info@phoenixcontact.co.uk



SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS


At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product manufacturers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk