

# Product datasheet

Specifications



## Kaedra - interface enclosure - 4 openings

Local distributor code: 391264791 13994

### Main

Range	Kaedra
Product or component type	Weatherproof enclosure
Enclosure type	Interface enclosure
Accessories included with enclosure	1 plate for 65 x 85 power outlets 4 plates for push-button controls
Mounting plate description	Without mounting plate

### Complementary

Enclosure mounting	Surface
Electrical insulation class	Class II Double insulation
Number of openings of interface	4
Number of plates	1 for 65 x 85 power outlets 4 for push-button controls
Provided equipment	1 plate for 65 x 85 power outlet 4 plate for push-button control
Type of front cover	Opaque
Number of pre-cutouts PG ISO	3
Enclosure material	Self-extinguishing polymer
Base dimension	90 x 100 mm
Width	138 mm
Height	610 mm
Depth	160 mm
Internal depth	88 mm
Colour	Enclosure: light grey (RAL 7035)

### Environment

Standards	EN 50262 IEC 670 IEC 60439-3 IEC 60529 EN 50102 IEC 60695-2-1
Fire resistance	650 °C conforming to IEC 60695-2-1

<b>IP degree of protection</b>	IP65 conforming to IEC 60529
<b>IK degree of protection</b>	IK09 conforming to EN 50102
<b>Environmental characteristics (UV)</b>	UV resistant: class 3 conforming to ISO 4582:2010 Ultraviolet degradation test conforming to ISO 4892-2:2013
<b>Overvoltage category</b>	II
<b>Ambient air temperature for operation</b>	-25...60 °C

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Weight</b>	1.595 kg
<b>Package 1 Height</b>	13.5 cm
<b>Package 1 width</b>	15.8 cm
<b>Package 1 Length</b>	62 cm
<b>Unit Type of Package 2</b>	P12
<b>Number of Units in Package 2</b>	64
<b>Package 2 Weight</b>	114.08 kg
<b>Package 2 Height</b>	80 cm
<b>Package 2 width</b>	80 cm
<b>Package 2 Length</b>	120 cm

## Offer Sustainability

<b>Sustainable offer status</b>	Green Premium product
<b>REACH Regulation</b>	<a href="#">REACH Declaration</a>
<b>REACH free of SVHC</b>	Yes
<b>EU RoHS Directive</b>	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
<b>Toxic heavy metal free</b>	Yes
<b>Mercury free</b>	Yes
<b>RoHS exemption information</b>	<a href="#">Yes</a>
<b>China RoHS Regulation</b>	<a href="#">China RoHS declaration</a> Pro-active China RoHS declaration (out of China RoHS legal scope)
<b>Environmental Disclosure</b>	<a href="#">Product Environmental Profile</a>
<b>Halogen content performance</b>	Halogen free product

## Contractual warranty

<b>Warranty</b>	18 months
-----------------	-----------



**SCATTERGOOD  
& JOHNSON LTD**  
ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product manufacturers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

**[www.scatts.co.uk](http://www.scatts.co.uk)**