

DRIVEN BY AIR.

# UK Style Couplings

The best UK style coupling just got better.



**Airflow Series**  
Suitable for fixed applications



**Vertex Series**  
Suitable for trailing hose applications

On the 75th anniversary of PCL's invention of the original UK standard coupling, PCL is pleased to reveal the latest generation of UK couplings incorporating all the changes PCL has built into improving the performance of both the original Airflow and Vertex couplings.

Built for intensive use, the Airflow is more suited to fixed installations in industrial environments, whereas the Vertex features a double action mechanism, making them ideal in garages and tyreshops, where operators are using air tools or hand held inflators for trailing hose applications.

## Specifications

Nominal bore: 4.8 mm  
 Max flow rate: 43 cfm @ 100 psi supply  
 Max working pressure: 200 psi / 14 bar  
 Temperature range: -40°C to 100°C  
 Interchangeability: Rectus 19  
 Material: Seal - Nitrile  
 Spring - Stainless steel  
 Housing - Steel  
 Plating - Trivalent chromate

Type: Airflow - Single Action  
 Vertex - Double Action

DRIVEN BY AIR.

# UK Style Couplings

**Springs - Stainless steel for long life**

**Seal - Approved Nitrile for high performance**

**Marking - Product details for quality and identification**

**Date Stamp - Production date for tracking and quality**

**Banding - Clear PCL identification**

**Sleeve and housing - Steel for long life**

**5 YEARS EXTENDED WARRANTY**

## Airflow Couplings

Part No.	Thread Type	Thread Size
AC21CF	Female	Rp 1/4
AC21EF	Female	Rp 3/8
AC21JF	Female	Rp 1/2
AC21CM	Male	R 1/4
AC21EM	Male	R 3/8
AC21JM	Male	R 1/2
AC21R	Hose Tailpiece	7 mm (1/4 in)
AC21S	Hose Tailpiece	8 mm (5/16 in)
AC21T	Hose Tailpiece	10 mm (3/8 in)
AC6103	Twin Coupling	N/A

## Vertex Couplings

Part No.	Thread Type	Thread Size
AC91CF	Female	Rp 1/4
AC91EF	Female	Rp 3/8
AC91JF	Female	Rp 1/2
AC91CM	Male	R 1/4
AC91EM	Male	R 3/8
AC91JM	Male	R 1/2
AC91R	Hose Tailpiece	7 mm (1/4 in)
AC91S	Hose Tailpiece	8 mm (5/16 in)
AC91T	Hose Tailpiece	10 mm (3/8 in)
AC6503	Twin Coupling	N/A

PCL is the world leader in the design and manufacture of tyre inflation and compressed air products.

### Pneumatic Components Limited

Holbrook Rise  
Holbrook Industrial Estate  
Sheffield S20 3GE

T +44 (0)114 248 2712  
sales@pclairtechnology.com  
[www.pclairtechnology.com](http://www.pclairtechnology.com)



# SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product manufacturers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

# [www.scatts.co.uk](http://www.scatts.co.uk)