


**LPSL7**  
PILOT LIGHT HEAD Ø22MM PLATINUM SERIES METAL, TRANSPARENT. WITHOUT  
MOUNTING ADAPTER



Product designation	Pilot light head
Product type designation	LPSL
<b>General characteristics</b>	
Colour	Transparent
Material	Aluminium and zinc alloy for metal parts and polyamide for plastic parts
IEC degree of protection	IP66, IP67 and IP69K
<b>Mechanical features</b>	
Fixing	Without mounting adapter
Mounting adapter	LPXAU120M
<b>UL technical data</b>	
UL degree of protection	Type1, 2, 3R, 4, 4X, 12, 12K
<b>Ambient conditions</b>	
Temperature	
Operating temperature	
min	°C -25
max	°C +70
Storage temperature	
min	°C -40
max	°C +85

**Dimensions**



**Certifications and compliance**

Compliance

CSA C22.2 n° 14  
IEC/EN/BS 60947-1  
IEC/EN/BS 60947-5-1  
UL508

Certificates

cULus

**ETIM classification**



**LPSL7**  
PILOT LIGHT HEAD Ø22MM PLATINUM SERIES METAL, TRANSPARENT. WITHOUT  
MOUNTING ADAPTER

ETIM 8.0

EC002024 -  
Accessories/spare  
parts for  
command  
devices



**SCATTERGOOD  
& JOHNSON LTD**  
ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product manufacturers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

**[www.scatts.co.uk](http://www.scatts.co.uk)**