

MAXIBLOCK CABLE GLAND, IN POLYAMIDE PA6.6, WITH REDUCED CLAMPING RANGE, METRIC PITCH, IP68



Features

TECHNICAL INFORMATION

Minimum operating temperature	-20 °C
Maximum operating temperature	90 °C
Ingress Protection	IP68
Counter nut	No
Dust-proof disc	No
Internal washers	No
EMC	No
Markings found	factory mark; thread type; certification logos
Reference standard	CEI EN 60423; CEI EN 62444
Conditions of use	static and dynamic, indoor and outdoor
Self-extinguishing fire class according to UL 94	V2

MATERIAL COMPOSITION AND TREATMENTS


Entry bush material	Poliammide PA6.6
Inner seal material	Neoprene
Body material	Poliammide PA6.6
Halogen free	No

LOGISTIC

Type of packaging	; box
Customs code	39269097

CLASSIFICATION AND DATA ORDERING

ETIM Class 7	Cable gland [EC000441]
Manufactured in	Italy



1910 M

tipo	P	External seal	Color	Outer seal material	Tightening torque [nm]	Range of cable housing diameter [mm]	B1 [mm]	B2 [mm]	C [mm]	L [mm]	Fixing hole diameter [mm]	Width [mm]	Gross weight [g]	Unit in standard packaging [pce]	Minimum order quantity [pce]
1910.M12	M12x1,5	No	Grey RAL 7035		2.7	2 ÷ 5	15	15	8	18 ÷ 22	12.2	16.5	3,680	100	100
1910.M12N	M12x1,5	No	Black RAL 9005		2.7	2 ÷ 5	15	15	8	18 ÷ 22	12.2	16.5	4,050	100	100
1910.M12G	M12x1,5	No	Dark grey RAL 7001		2.7	2 ÷ 5	15	15	8	18 ÷ 22	12.2	16.5		100	100
1910.M16	M16x1,5	No	Grey RAL 7035		5	3 ÷ 7	19	19	8	22 ÷ 27	16.2	21.4	7,040	100	100
1910.M16N	M16x1,5	No	Black RAL 9005		5	3 ÷ 7	19	19	8	22 ÷ 27	16.2	21.4	7,120	100	100
1910.M16G	M16x1,5	No	Dark grey RAL 7001		5	3 ÷ 7	19	19	8	22 ÷ 27	16.2	21.4	7,220	100	100
1910.M20	M20x1,5	No	Grey RAL 7035		7	5 ÷ 10	25	25	9	14 ÷ 30	20.5	25	11,780	100	100
1910.M20N	M20x1,5	No	Black RAL 9005		7	5 ÷ 10	25	25	9	14 ÷ 30	20.5	25	11,800	100	100
1910.M20G	M20x1,5	No	Dark grey RAL 7001		7	5 ÷ 10	25	25	9	14 ÷ 30	20.5	25	12,600	100	100
1910.M25	M25x1,5	No	Grey RAL 7035		7.5	7 ÷ 13	30	30	10	30 ÷ 41	25.4	33	20,200	50	50
1910.M25N	M25x1,5	No	Black RAL 9005		7.5	7 ÷ 13	30	30	10	30 ÷ 41	25.4	33	19,760	50	50
1910.M25G	M25x1,5	No	Dark grey RAL 7001		7.5	7 ÷ 13	30	30	10	30 ÷ 41	25.4	33	19,980	50	50
1910.M32	M32x1,5	Yes	Grey RAL 7035	Neoprene	8	8 ÷ 14	36	36	10	33 ÷ 44	32.5	39.5	32,800	25	25
1910.M32N	M32x1,5	Yes	Black RAL 9005	Neoprene	8	8 ÷ 14	36	36	10	33 ÷ 44	32.5	39.5	31,500	25	25
1910.M32G	M32x1,5	Yes	Dark grey RAL 7001	Neoprene	8	8 ÷ 14	36	36	10	33 ÷ 44	32.5	39.5	31,500	25	25
1910.M40	M40x1,5	Yes	Grey RAL 7035	Neoprene	8	15 ÷ 23	46	46	10	36 ÷ 45	40.5	51	54,933	15	15
1910.M40N	M40x1,5	Yes	Black RAL 9005	Neoprene	8	15 ÷ 23	46	46	10	36 ÷ 45	40.5	51	56,000	15	15
1910.M40G	M40x1,5	Yes	Dark grey RAL 7001	Neoprene	8	15 ÷ 23	46	46	10	36 ÷ 45	40.5	51		15	15

tipo	P	External seal	Color	Outer seal material	Tightening torque [nm]	Range of cable housing diameter [mm]	B1 [mm]	B2 [mm]	C [mm]	L [mm]	Fixing hole diameter [mm]	Width [mm]	Gross weight [g]	Unit in standard packaging [pce]	Minimum order quantity [pce]
1910.M50	M50x1,5	Yes	Grey RAL 7035	Neoprene	15	20 ÷ 29	55	55	12	43 ÷ 52	50.5	61	88,200	10	10
1910.M50N	M50x1,5	Yes	Black RAL 9005	Neoprene	15	20 ÷ 29	55	55	12	43 ÷ 52	50.5	61		10	10
1910.M50G	M50x1,5	Yes	Dark grey RAL 7001	Neoprene	15	20 ÷ 29	55	55	12	43 ÷ 52	50.5	61		10	10
1910.M63	M63x1,5	Yes	Grey RAL 7035		15	27 ÷ 39	66	66	12	45 ÷ 55	64	72	124,000	5	5
1910.M63N	M63x1,5	Yes	Black RAL 9005	Neoprene	15	27 ÷ 39	66	66	12	45 ÷ 55	64	72		5	5
1910.M63G	M63x1,5	Yes	Dark grey RAL 7001	Neoprene	15	27 ÷ 39	66	66	12	45 ÷ 55	64	72	130,800	5	5



Via Serenissima, 9 - 25135
Brescia - ITALY

© Copyright 2020 Cembre S.p.A.



**SCATTERGOOD
& JOHNSON LTD**
ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product manufacturers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk