



Features

TECHNICAL INFORMATION

Minimum operating temperature	-20 °C
Maximum operating temperature	105 °C
Threshold of operating temperature for short periods	110 °C
Barrel reinforcement ring	Yes
Type	singolo
Type of insulation	parziale
Easy insertion input	Yes
Reinforced with anti-vibration collar	Yes

WEIGHT AND DIMENSIONS

Type of connection	female
--------------------	--------

CLASSIFICATION AND DATA ORDERING


ETIM Class 7	Round or flat plug/receptacle [EC000516]
Manufactured in	Taiwan

MATERIAL COMPOSITION AND TREATMENTS

Conductor body material	ottone
Minimum thickness of the surface coating of the conducting body	3 µm
Surface treatment of the conductor body	tin plating
Insulated cover material	Poliammide PA6.6
Annealing	No
Halogen free	Yes
Anti-vibration neck material	copper

LOGISTIC

Type of packaging	; box
Unit in minimal packaging	100 PCE
Minimum order quantity	100 PCE
Customs code	85366990



RKF-F Insulated cover color **Rosso** Range of cable cross section **0.25 ÷ 1.5 mm²**

tipo	Conditions of use	Tongue width [mm]	Tongue length [mm]	Gross weight [g]	Unit in standard packaging [pce]
RKF-F305	dinamico, al chiuso	2.8	2.8	0,743	3,000
RKF-F308	dinamico, al chiuso	2.8	2.8		3,000
RKF-F408	dinamico, al chiuso	4.8	4.8	0,888	2,500
RKF-F405	dinamico, al chiuso	4.8	4.8		2,500
RKF-F608	dinamico, al chiuso	6.3	6.35	1,046	2,000

BKF-F Insulated cover color **Blue** Range of cable cross section **1.5 ÷ 2.5 mm²**

tipo	Conditions of use	Tongue width [mm]	Tongue length [mm]	Gross weight [g]	Unit in standard packaging [pce]
BKF-F405	statico, al chiuso	4.8	4.8		2,500
BKF-F408	statico, al chiuso	4.8	4.8		2,500
BKF-F608	statico, al chiuso	6.3	6.35	1,246	2,000

GK-F Insulated cover color **Yellow** Range of cable cross section **4 ÷ 6 mm²**

tipo	Conditions of use	Tongue width [mm]	Tongue length [mm]	Gross weight [g]	Unit in standard packaging [pce]
GK-F608	statico, al chiuso	6.3	6.35	1,621	1,500



Via Serenissima, 9 - 25135
Brescia - ITALY



**SCATTERGOOD
& JOHNSON LTD**
ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product manufacturers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk