

PSEN b4.1

540041

Mechanical bolt, for safety switch PSEN cs3/4 or PSEN ma1, with locking (cannot be deactivated) and escape release.










Technical details

General data	
Approval:	-
Technical data	
Mechanical data	
Escape release available:	Yes
Product material:	Aluminium, Galvanised steel, Plastic
Net weight:	1105 g
Gross weight:	1234 g
Environment	
RoHS directive:	2011/65/EU, 2015/863/EU
RoHS conformity:	yes
RoHS exceptions:	no
REACH compliance:	Contains no SVHC substances
WEEE classification (08/2018):	0 not relevant
Commercial data	
Harmonized System Code:	76169990
UNSPSC 25:	39122205
EAN-Code:	4046548062199
ECLASS version:	ECLASS-13
ECLASS Reference Feature:	27273701

ETIM Version:	ETIM-9.0
ETIM Reference Group:	EG000017
ETIM Reference Feature:	EC002024
Volume:	0 dm3

Optional accessories

	541009	PSEN cs3.1 M12/8-0.15m/PSEN cs3.1 1Unit
	541211	PSEN cs4.2a / PSEN cs4.1 1unit
	541003	PSEN cs3.1n / PSEN cs3.1 1 Unit
	541014	PSEN cs3.1 M12/8-1.5m/PSEN cs3.1 1unit
	541103	PSEN cs4.1n / PSEN cs4.1 1 Unit
	541203	PSEN cs4.2n / PSEN cs4.1 1 Unit
	541109	PSEN cs4.1 M12/8-0.15m/PSEN cs4.1 1Unit



541209

PSEN cs4.2 M12/8-0.15m/PSEN cs4.1 1Unit



541010

PSEN cs3.1p /PSEN cs3.1 1unit



541011

PSEN cs3.1a /PSEN cs3.1 1unit



541110

PSEN cs4.1p /PSEN cs4.1 1unit



541111

PSEN cs4.1a /PSEN cs4.1 1unit



541210

PSEN cs4.2p /PSEN cs4.1 1unit