


PSEN ma1.4p-50/PSEN ma1.4-10mm/ 1unit

506334



Magnetic safety switch 2 n/o, 4-pin M8 male connector, square design, IP67, switching distance 10 mm, height design 18 mm, PU = 1 sensor with actuator.

## Technical details

General data	
Approval:	CE, UKCA, cULus Listed, EAC (Eurasian), TÜV
Sensor principle:	magnetic
Coding level to ISO 14119:	Low
Classification to EN 60947-5-3:	PDDB
Suitable for series connection:	no
unit type:	Unit
Technical data	
Electrical data	
Supply voltage (V):	24 - 24 V
Type of supply voltage U1:	DC
Switching voltage:	24 V
Environmental data	
Ambient temperature:	-10 - 55 °C
Climatic suitability standard:	IEC 60068-2-30
Humidity rating:	93 % r. h. at 40 °C
Perm. operating height ASL:	2000 m
EMC to standard ...:	EN 60947-5-3
Vibration to standard ...:	EN 60947-5-2
Acc. shock to standard1:	30g









Pollution degree clear.&creep.:	3
<b>Mechanical data</b>	
Type 1 actuator:	PSEN ma1.4-10mm
Sensor can be flush-mounted:	Ja, Montagehinweis beachten
Connection type:	M8, 4-pin male
Cable lines:	LiY11Y 4 x 0.25 mm <sup>2</sup>
Housing material upper part:	PBT
Height dimension:	37 mm
Width dimension:	26.4 mm
Depth dimension:	18 mm
Net weight:	53 g
Gross weight:	68 g
<b>Environment</b>	
WEEE klassifikation (08/2018):	5 devices (feed size < 50cm)
<b>Commercial data</b>	
Harmonized System Code:	85365019
UNSPSC 25:	39122205
EAN-Code:	4046548060492
ECLASS version:	ECLASS-13
ECLASS Reference Feature:	27272402
ETIM Version:	ETIM-9.0
ETIM Reference Group:	EG000026
ETIM Reference Feature:	EC002544
Volume:	0 dm <sup>3</sup>

## Optional accessories



533111

PSEN Kabel Gerade/cable straightplug 2m

	533121	PSEN Kabel Gerade/cable straightplug 5m
	533110	PSEN Kabel Winkel/cable angleplug 2m
	533120	PSEN Kabel Winkel/cable angleplug 5m
	533131	PSEN Kabel Gerade/cable straightplug 10m
	533130	PSEN Kabel Winkel/cable angleplug 10m
	533141	PSEN Kabel Gerade/cable straightplug 30m
	533140	PSEN Kabel Winkel/cable angleplug 30m
	380200	PSS67 Cable M8sf M12sm, 3m
	380203	PSS67 Cable M8sf M12sm, 30m



380204

PSS67 Cable M8af M12sm, 3m

---



380201

PSS67 Cable M8sf M12sm, 5m

---



773600

PDP67 F 8DI ION

---



380202

PSS67 Cable M8sf M12sm, 10m

---



380207

PSS67 Cable M8af M12sm, 30m

---



380205

PSS67 Cable M8af M12sm, 5m

---



380206

PSS67 Cable M8af M12sm, 10m

---