

# Roxtec G frame

The Roxtec G frame is a metal frame with flange available with a single opening or in combinations with several openings in width and/or height.

- To be used with corresponding Roxtec components to form a complete sealing solution
- Attachment by casting or welding
- Casting mold accessory available
- GE extension frame accessory available



G 6x1 PRIMED



G 6x1 AISI 316

## Primed mild steel

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 2x1 PRIMED	1	120 x 60	252.5 x 233 x 60	188(+15/-15) x 173(+15/-15)	3.4	G002000000112
G 2x2 PRIMED	2	120 x 60	383 x 233 x 60	318(+15/-15) x 173(+15/-15)	5.4	G002000000212
G 2x3 PRIMED	3	120 x 60	513.5 x 233 x 60	449(+15/-15) x 173(+15/-15)	7.4	G002000000312
G 2x4 PRIMED	4	120 x 60	644 x 233 x 60	579(+15/-15) x 173(+15/-15)	9.3	G002000000412
G 2x5 PRIMED	5	120 x 60	774.5 x 233 x 60	710(+15/-15) x 173(+15/-15)	11.2	5G00000006930
G 2x6 PRIMED	6	120 x 60	905 x 233 x 60	840(+15/-15) x 173(+15/-15)	13.7	5G00000004785
G 2+2x1 PRIMED	2	120 x 60	252.5 x 344 x 60	188(+15/-15) x 284(+15/-15)	5.4	G002200000112
G 2+2x2 PRIMED	4	120 x 60	383 x 346 x 60	318(+15/-15) x 284(+15/-15)	8.9	5G00000005011
G 2+2x3 PRIMED	6	120 x 60	513.5 x 346 x 60	449(+15/-15) x 284(+15/-15)	11.6	5G00000013096
G 2+2x4 PRIMED	8	120 x 60	644 x 346 x 60	579(+15/-15) x 284(+15/-15)	15.4	112511
G 2+2x5 PRIMED	10	120 x 60	774.5 x 346 x 60	710(+15/-15) x 284(+15/-15)	18	112512

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 2+2x6 PRIMED	12	120 x 60	905 x 346 x 60	840(+15/-15) x 284(+15/-15)	21.2	112513
G 4x1 PRIMED	1	120 x 120	252.5 x 291.5 x 60	188(+15/-15) x 232(+15/-15)	3.8	G004000000112
G 4x2 PRIMED	2	120 x 120	383 x 291.5 x 60	318(+15/-15) x 232(+15/-15)	6.3	G004000000212
G 4x3 PRIMED	3	120 x 120	513.5 x 291.5 x 60	449(+15/-15) x 232(+15/-15)	8.8	G004000000312
G 4x4 PRIMED	4	120 x 120	644 x 291.5 x 60	579(+15/-15) x 232(+15/-15)	11.1	G004000000412
G 4x5 PRIMED	5	120 x 120	774.5 x 291.5 x 60	710(+15/-15) x 232(+15/-15)	13.1	G004000000512
G 4x6 PRIMED	6	120 x 120	905 x 291.5 x 60	840(+15/-15) x 232(+15/-15)	15.3	G004000000612
G 4+4x1 PRIMED	2	120 x 120	252.5 x 461 x 60	188(+15/-15) x 401(+15/-15)	6.6	G004400000112
G 4+4x2 PRIMED	4	120 x 120	383 x 463 x 60	318(+15/-15) x 401(+15/-15)	10.5	G004400000212
G 4+4x3 PRIMED	6	120 x 120	513.5 x 463 x 60	449(+15/-15) x 401(+15/-15)	14.2	G004400000312
G 4+4x4 PRIMED	8	120 x 120	644 x 463 x 60	579(+15/-15) x 401(+15/-15)	17.9	G004400000412
G 4+4x5 PRIMED	10	120 x 120	774.5 x 463 x 60	710(+15/-15) x 401(+15/-15)	21.7	G004400000512
G 4+4x6 PRIMED	12	120 x 120	905 x 463 x 60	840(+15/-15) x 401(+15/-15)	25.4	G004400000612
G 6x1 PRIMED	1	120 x 180	252.5 x 350 x 60	188(+15/-15) x 290(+15/-15)	4.4	G006000000112
G 6x2 PRIMED	2	120 x 180	383 x 350 x 60	318(+15/-15) x 290(+15/-15)	7.4	G006000000212
G 6x3 PRIMED	3	120 x 180	513.5 x 350 x 60	449(+15/-15) x 290(+15/-15)	9.8	G006000000312
G 6x4 PRIMED	4	120 x 180	644 x 350 x 60	579(+15/-15) x 290(+15/-15)	12.3	G006000000412
G 6x5 PRIMED	5	120 x 180	774.5 x 350 x 60	710(+15/-15) x 290(+15/-15)	16.6	G006000000512
G 6x6 PRIMED	6	120 x 180	905 x 350 x 60	840(+15/-15) x 290(+15/-15)	17.4	G006000000612
G 6+6x1 PRIMED	2	120 x 180	252.5 x 578 x 60	188(+15/-15) x 518(+15/-15)	8	G006600000112
G 6+6x2 PRIMED	4	120 x 180	383 x 580 x 60	318(+15/-15) x 518(+15/-15)	13.6	G006600000212
G 6+6x3 PRIMED	6	120 x 180	513.5 x 580 x 60	449(+15/-15) x 518(+15/-15)	19.3	G006600000312
G 6+6x4 PRIMED	8	120 x 180	644 x 580 x 60	579(+15/-15) x 518(+15/-15)	20.9	G006600000412
G 6+6x5 PRIMED	10	120 x 180	774.5 x 580 x 60	710(+15/-15) x 518(+15/-15)	25.2	G006600000512
G 6+6x6 PRIMED	12	120 x 180	905 x 580 x 60	840(+15/-15) x 518(+15/-15)	29.5	G006600000612

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 8x1 PRIMED	1	120 x 240	252.5 x 410 x 60	188(+15/-15) x 350(+15/-15)	5.2	G008000000112
G 8x2 PRIMED	2	120 x 240	383 x 410 x 60	318(+15/-15) x 350(+15/-15)	8.3	G008000000212
G 8x3 PRIMED	3	120 x 240	513.5 x 410 x 60	449(+15/-15) x 350(+15/-15)	11.1	G008000000312
G 8x4 PRIMED	4	120 x 240	644 x 410 x 60	579(+15/-15) x 350(+15/-15)	14	G008000000412
G 8x5 PRIMED	5	120 x 240	774.5 x 410 x 60	710(+15/-15) x 350(+15/-15)	16.7	G008000000512
G 8x6 PRIMED	6	120 x 240	905 x 410 x 60	840(+15/-15) x 350(+15/-15)	19.5	G008000000612
G 8+8x1 PRIMED	2	120 x 240	252.5 x 698 x 60	188(+15/-15) x 638(+15/-15)	8.3	5G00000003170
G 8+8x2 PRIMED	4	120 x 240	383 x 700 x 60	318(+15/-15) x 638(+15/-15)	16	5G00000003511
G 8+8x3 PRIMED	6	120 x 240	513.5 x 700 x 60	449(+15/-15) x 638(+15/-15)	19.7	5G00000001337
G 8+8x4 PRIMED	8	120 x 240	644 x 700 x 60	579(+15/-15) x 638(+15/-15)	24.5	5G00000002069
G 8+8x5 PRIMED	10	120 x 240	774.5 x 700 x 60	710(+15/-15) x 638(+15/-15)	36.1	5G0000006239
G 8+8x6 PRIMED	12	120 x 240	905 x 700 x 60	840(+15/-15) x 638(+15/-15)	33.2	5G00000002068

## Stainless steel

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 2x1 AISI316	1	120 x 60	252.5 x 233 x 60	147.5(+5/-5) x 128(+5/-5)	3.4	G002000000121
G 2x2 AISI316	2	120 x 60	383 x 233 x 60	318(+15/-15) x 173(+15/-15)	5.5	5G00000000072
G 2x3 AISI316	3	120 x 60	513.5 x 233 x 60	449(+15/-15) x 173(+15/-15)	7.6	5G00000002718
G 2x4 AISI316	4	120 x 60	644 x 233 x 60	579(+15/-15) x 173(+15/-15)	9.5	5G00000006009
G 2x5 AISI316	5	120 x 60	774.5 x 233 x 60	710(+15/-15) x 173(+15/-15)	11.2	5G00000006032
G 2x6 AISI316	6	120 x 60	905 x 233 x 60	840(+15/-15) x 173(+15/-15)	13.3	5G00000009039
G 2+2x1 AISI316	2	120 x 60	252.5 x 344 x 60	188(+15/-15) x 284(+15/-15)	5.2	5G00000008077
G 2+2x2 AISI316	4	120 x 60	383 x 346 x 60	318(+15/-15) x 284(+15/-15)	8.8	5G00000009685
G 2+2x3 AISI316	6	120 x 60	513.5 x 346 x 60	449(+15/-15) x 284(+15/-15)	11.9	5G00000009777

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 2+2x4 AISI316	8	120 x 60	644 x 346 x 60	579(+15/-15) x 284(+15/-15)	15	109953
G 2+2x5 AISI316	10	120 x 60	774.5 x 346 x 60	710(+15/-15) x 284(+15/-15)	18	112598
G 2+2x6 AISI316	12	120 x 60	905 x 346 x 60	840(+15/-15) x 284(+15/-15)	21.2	112599
G 4x1 AISI316	1	120 x 120	252.5 x 291.5 x 60	188(+15/-15) x 232(+15/-15)	4.1	G004000000121
G 4x2 AISI316	2	120 x 120	383 x 291.5 x 60	318(+15/-15) x 232(+15/-15)	6.3	G004000000221
G 4x3 AISI316	3	120 x 120	513.5 x 291.5 x 60	449(+15/-15) x 232(+15/-15)	8.6	G004000000321
G 4x4 AISI316	4	120 x 120	644 x 291.5 x 60	579(+15/-15) x 232(+15/-15)	10.8	G004000000421
G 4x5 AISI316	5	120 x 120	774.5 x 291.5 x 60	710(+15/-15) x 232(+15/-15)	13.9	G004000000521
G 4x6 AISI316	6	120 x 120	905 x 291.5 x 60	840(+15/-15) x 232(+15/-15)	15.3	G004000000621
G 4+4x1 AISI316	2	120 x 120	252.5 x 461 x 60	188(+15/-15) x 401(+15/-15)	6.8	5G00000000865
G 4+4x2 AISI316	4	120 x 120	383 x 463 x 60	318(+15/-15) x 401(+15/-15)	10.5	5G00000005843
G 4+4x3 AISI316	6	120 x 120	513.5 x 463 x 60	449(+15/-15) x 401(+15/-15)	14.2	5G00000001119
G 4+4x4 AISI316	8	120 x 120	644 x 463 x 60	579(+15/-15) x 401(+15/-15)	17.9	5G00000003243
G 4+4x5 AISI316	10	120 x 120	774.5 x 463 x 60	710(+15/-15) x 401(+15/-15)	22.2	5G00000007519
G 4+4x6 AISI316	12	120 x 120	905 x 463 x 60	840(+15/-15) x 401(+15/-15)	26.5	5G00000001801
G 6x1 AISI316	1	120 x 180	252.5 x 350 x 60	188(+15/-15) x 290(+15/-15)	4.8	G006000000121
G 6x2 AISI316	2	120 x 180	383 x 350 x 60	318(+15/-15) x 290(+15/-15)	7.3	G006000000221
G 6x3 AISI316	3	120 x 180	513.5 x 350 x 60	449(+15/-15) x 290(+15/-15)	9.8	G006000000321
G 6x4 AISI316	4	120 x 180	644 x 350 x 60	579(+15/-15) x 290(+15/-15)	12.4	G006000000421
G 6x5 AISI316	5	120 x 180	774.5 x 350 x 60	710(+15/-15) x 290(+15/-15)	14.9	G006000000521
G 6x6 AISI316	6	120 x 180	905 x 350 x 60	840(+15/-15) x 290(+15/-15)	17.4	G006000000621
G 6+6x1 AISI316	2	120 x 180	252.5 x 578 x 60	188(+15/-15) x 518(+15/-15)	8	5G00000001204
G 6+6x2 AISI316	4	120 x 180	383 x 580 x 60	318(+15/-15) x 518(+15/-15)	12.4	5G00000006098
G 6+6x3 AISI316	6	120 x 180	513.5 x 580 x 60	449(+15/-15) x 518(+15/-15)	16.6	5G00000000974
G 6+6x4 AISI316	8	120 x 180	644 x 580 x 60	579(+15/-15) x 518(+15/-15)	20.9	5G00000000463

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
G 6+6x5 AISI316	10	120 x 180	774.5 x 580 x 60	710(+15/-15) x 518(+15/-15)	25.2	5G00000000312
G 6+6x6 AISI316	12	120 x 180	905 x 580 x 60	840(+15/-15) x 518(+15/-15)	29.5	5G00000000260
G 8x1 AISI316	1	120 x 240	252.5 x 410 x 60	188(+15/-15) x 350(+15/-15)	5.5	G008000000121
G 8x2 AISI316	2	120 x 240	383 x 410 x 60	318(+15/-15) x 350(+15/-15)	8.3	G008000000221
G 8x3 AISI316	3	120 x 240	513.5 x 410 x 60	449(+15/-15) x 350(+15/-15)	11.1	G008000000321
G 8x4 AISI316	4	120 x 240	644 x 410 x 60	579(+15/-15) x 350(+15/-15)	13.9	G008000000421
G 8x5 AISI316	5	120 x 240	774.5 x 410 x 60	710(+15/-15) x 350(+15/-15)	16.7	5G000000003370
G 8x6 AISI316	6	120 x 240	905 x 410 x 60	840(+15/-15) x 350(+15/-15)	19.5	5G000000004569
G 8+8x1 AISI316	2	120 x 240	252.5 x 698 x 60	188(+15/-15) x 638(+15/-15)	8.3	5G000000001852
G 8+8x2 AISI316	4	120 x 240	383 x 700 x 60	318(+15/-15) x 638(+15/-15)	16	5G000000004296
G 8+8x3 AISI316	6	120 x 240	513.5 x 700 x 60	449(+15/-15) x 638(+15/-15)	19.2	5G000000003157
G 8+8x4 AISI316	8	120 x 240	644 x 700 x 60	579(+15/-15) x 638(+15/-15)	24	5G000000005383
G 8+8x5 AISI316	10	120 x 240	774.5 x 700 x 60	710(+15/-15) x 638(+15/-15)	28.9	5G000000006310
G 8+8x6 AISI316	12	120 x 240	905 x 700 x 60	840(+15/-15) x 638(+15/-15)	33.6	5G000000002370