



Pushing Performance

Plug socket module USA/Japan (NEMA 5-15)



Image is for illustration purposes only. Please refer to product description.

Part number	39 50 001 0004
Specification	Plug socket module USA/Japan (NEMA 5-15)
HARTING eCatalogue	https://b2b.harting.com/39500010004

Identification

Category	Sockets
Series of hoods/housings	Han-Port®
Element	Socket
Specification	Finger safe

Version

Termination method	Screw termination
Field of application	USA Japan

Connection data

Supply voltage	125 V AC
Nominal current	15 A
Nominal frequency	60 Hz

Technical characteristics

Conductor cross-section	2.5 mm ²
Mounting depth	30 mm

Material properties

Material (hood/housing)	Thermoplastic
RoHS	compliant
ELV status	compliant



Pushing Performance

Material properties

China RoHS	e
REACH Annex XVII substances	No
REACH ANNEX XIV substances	No
REACH SVHC substances	No

Commercial data

Packaging size	1
Net weight	84.64 g
Country of origin	Hungary
European customs tariff number	85366990
eCl@ss	27144021 Device connection box



SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS

Est.1899

At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product suppliers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk