

Roxtec GH frame

The Roxtec GH frame with pre-drilled holes and standard sized flange is bolted to even structures. It makes it possible to maximize the amount of cables/pipes while minimizing the penetration footprint. The rectangular steel frame can be used with a GE extension frame in galvanized steel to cover the depth of a thick wall/floor.

- To be used with corresponding Roxtec components to form a complete sealing solution
- Attachment by bolting to steel or sandwich walls



GH 6x1 GALV



GH 6x2 AISI316

Galvanized mild steel

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
GH 2x1 GALV	1	120 x 60	252.5 x 233 x 60	148(+5/-5) x 128(+5/-5)	3.2	5GH0000008110
GH 2x2 GALV	2	120 x 60	383 x 233 x 60	278(+5/-5) x 128(+5/-5)	5.7	5GH00000010019
GH 2x3 GALV	3	120 x 60	513.5 x 233 x 60	409(+5/-5) x 128(+5/-5)	8	107959
GH 2x4 GALV	4	120 x 60	644 x 233 x 60	539(+5/-5) x 128(+5/-5)	9.8	5GH00000010018
GH 2x5 GALV	5	120 x 60	774.5 x 233 x 60	670(+5/-5) x 128(+5/-5)	11.8	5GH00000010017
GH 2x6 GALV	6	120 x 60	905 x 233 x 60	800(+5/-5) x 128(+5/-5)	14	114880
GH 2+2x1 GALV	2	120 x 60	252.5 x 344 x 60	148(+5/-5) x 241(+5/-5)	5.5	114890
GH 2+2x2 GALV	4	120 x 60	383 x 346 x 60	278(+5/-5) x 241(+5/-5)	9	114891
GH 2+2x3 GALV	6	120 x 60	513.5 x 346 x 60	409(+5/-5) x 241(+5/-5)	12.6	114892
GH 2+2x4 GALV	8	120 x 60	644 x 346 x 60	539(+5/-5) x 241(+5/-5)	16	114893
GH 2+2x5 GALV	10	120 x 60	774.5 x 346 x 60	670(+5/-5) x 241(+5/-5)	17.9	114894
GH 2+2x6 GALV	12	120 x 60	905 x 346 x 60	800(+5/-5) x 241(+5/-5)	21.1	114895
GH 4x1 GALV	1	120 x 120	252.5 x 291.5 x 60	148(+5/-5) x 187(+5/-5)	4	5GH0000008119
GH 4x2 GALV	2	120 x 120	383 x 291.5 x 60	278(+5/-5) x 187(+5/-5)	6.7	5GH0000008170
GH 4x3 GALV	3	120 x 120	513.5 x 291.5 x 60	409(+5/-5) x 187(+5/-5)	9	5GH0000008520
GH 4x4 GALV	4	120 x 120	644 x 291.5 x 60	539(+5/-5) x 187(+5/-5)	11.5	5GH0000008021

19/04/2022, 09:18

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
GH 4x5 GALV	5	120 x 120	774.5 x 291.5 x 60	670(+5/-5) x 187(+5/-5)	13.8	106231
GH 4x6 GALV	6	120 x 120	905 x 291.5 x 60	800(+5/-5) x 187(+5/-5)	15.5	110385
GH 4+4x1 GALV	2	120 x 120	252.5 x 461 x 60	148(+5/-5) x 358(+5/-5)	7.1	5GH0000009866
GH 4+4x2 GALV	4	120 x 120	383 x 463 x 60	278(+5/-5) x 358(+5/-5)	11.2	5GH0000009119
GH 4+4x3 GALV	6	120 x 120	514 x 463 x 60	409(+5/-5) x 358(+5/-5)	14.9	103543
GH 4+4x4 GALV	8	120 x 120	644 x 463 x 60	539(+5/-5) x 358(+5/-5)	18.6	5GH00000013818
GH 4+4x5 GALV	10	120 x 120	774.5 x 463 x 60	670(+5/-5) x 358(+5/-5)	25	104530
GH 4+4x6 GALV	12	120 x 120	905 x 463 x 60	800(+5/-5) x 358(+5/-5)	27	114934
GH 6x1 GALV	1	120 x 180	252.5 x 350 x 60	148(+5/-5) x 245(+5/-5)	4.4	5GH0000007882
GH 6x2 GALV	2	120 x 180	383 x 350 x 60	278(+5/-5) x 245(+5/-5)	7.7	5GH0000007828
GH 6x3 GALV	3	120 x 180	513.5 x 350 x 60	409(+5/-5) x 245(+5/-5)	10.6	5GH0000008108
GH 6x4 GALV	4	120 x 180	644 x 350 x 60	539(+5/-5) x 245(+5/-5)	13	5GH0000008086
GH 6x5 GALV	5	120 x 180	774.5 x 350 x 60	670(+5/-5) x 245(+5/-5)	15.8	5GH0000008232
GH 6x6 GALV	6	120 x 180	905 x 350 x 60	800(+5/-5) x 245(+5/-5)	18.4	5GH0000008103
GH 6x7 GALV	7	120 x 180	1035.5 x 350 x 60	931(+5/-5) x 245(+5/-5)	21.2	5GH0000008169
GH 6+6x1 GALV	2	120 x 180	252.5 x 578 x 60	148(+5/-5) x 475(+5/-5)	8.5	5GH0000008102
GH 6+6x2 GALV	4	120 x 180	383 x 580 x 60	278(+5/-5) x 475(+5/-5)	12	5GH0000008104
GH 6+6x3 GALV	6	120 x 180	513.5 x 580 x 60	409(+5/-5) x 475(+5/-5)	19.3	5GH0000008109
GH 6+6x4 GALV	8	120 x 180	644 x 580 x 60	539(+5/-5) x 475(+5/-5)	24.9	5GH0000008105
GH 6+6x5 GALV	10	120 x 180	774.5 x 580 x 60	670(+5/-5) x 475(+5/-5)	30.5	5GH0000008123
GH 6+6x6 GALV	12	120 x 180	905 x 580 x 60	800(+5/-5) x 475(+5/-5)	31	5GH0000010485
GH 8x1 GALV	1	120 x 240	252.5 x 410 x 60	148(+5/-5) x 305(+5/-5)	5.2	GH08000002115
GH 8x2 GALV	2	120 x 240	383 x 410 x 60	278(+5/-5) x 305(+5/-5)	8.7	5GH0000008907
GH 8x3 GALV	3	120 x 240	513.5 x 410 x 60	409(+5/-5) x 305(+5/-5)	11.7	5GH0000008470
GH 8x4 GALV	4	120 x 240	644 x 410 x 60	539(+5/-5) x 305(+5/-5)	14.8	5GH0000008107
GH 8x5 GALV	5	120 x 240	774.5 x 410 x 60	670(+5/-5) x 305(+5/-5)	17.8	5GH0000009784
GH 8x6 GALV	6	120 x 240	905 x 410 x 60	800(+5/-5) x 305(+5/-5)	18.5	5GH0000008001
GH 8+8x1 GALV	2	120 x 240	252.5 x 698 x 60	148(+5/-5) x 595(+5/-5)	9.8	5GH0000009297
GALV	4	120 x 240	383 x 700 x 60	278(+5/-5) x 595(+5/-5)	15	5GH0000008871

19/04/2022, 09:18

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
GH 8+8x3 GALV	6	120 x 240	513.5 x 700 x 60	409(+5/-5) x 595(+5/-5)	20	5GH0000010269
GH 8+8x4 GALV	8	120 x 240	644 x 700 x 60	539(+5/-5) x 595(+5/-5)	25	114988
GH 8+8x5 GALV	10	120 x 240	774.5 x 700 x 60	670(+5/-5) x 595(+5/-5)	29.9	5GH0000013719
GH 8+8x6 GALV	12	120 x 240	905 x 700 x 60	800(+5/-5) x 595(+5/-5)	34.6	114989

Stainless steel

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
GH 2x1 AISI316	1	120 x 60	252.5 x 233 x 60	148(+5/-5) x 128(+5/-5)	3	5GH0000008472
GH 2x2 AISI316	2	120 x 60	383 x 233 x 60	278(+5/-5) x 128(+5/-5)	5.5	115008
GH 2x3 AISI316	3	120 x 60	513.5 x 233 x 60	409(+5/-5) x 128(+5/-5)	7.5	5GH0000009290
GH 2x4 AISI316	4	120 x 60	644 x 233 x 60	539(+5/-5) x 128(+5/-5)	9.4	5GH0000009293
GH 2x5 AISI316	5	120 x 60	774.5 x 233 x 60	670(+5/-5) x 128(+5/-5)	12	108709
GH 2x6 AISI316	6	120 x 60	905 x 233 x 60	800(+5/-5) x 128(+5/-5)	13.4	115009
GH 2+2x1 AISI316	2	120 x 60	252.5 x 344 x 60	148(+5/-5) x 241(+5/-5)	5.5	115019
GH 2+2x2 AISI316	4	120 x 60	383 x 346 x 60	278(+5/-5) x 241(+5/-5)	8.6	115020
GH 2+2x3 AISI316	6	120 x 60	513.5 x 346 x 60	409(+5/-5) x 241(+5/-5)	11.9	115021
GH 2+2x4 AISI316	8	120 x 60	644 x 346 x 60	539(+5/-5) x 241(+5/-5)	15.2	115022
GH 2+2x5 AISI316	10	120 x 60	774.5 x 346 x 60	670(+5/-5) x 241(+5/-5)	18	115023
GH 2+2x6 AISI316	12	120 x 60	905 x 346 x 60	800(+5/-5) x 241(+5/-5)	21.6	115024
GH 4x1 AISI316	1	120 x 120	252.5 x 291.5 x 60	148(+5/-5) x 187(+5/-5)	4.1	5GH0000008351
GH 4x2 AISI316	2	120 x 120	383 x 291.5 x 60	278(+5/-5) x 187(+5/-5)	6.5	5GH0000009761
GH 4x3 AISI316	3	120 x 120	513.5 x 291.5 x 60	409(+5/-5) x 187(+5/-5)	8.7	5GH0000012961
GH 4x4 AISI316	4	120 x 120	644 x 291.5 x 60	539(+5/-5) x 187(+5/-5)	10.8	5GH0000009291
GH 4x5 AISI316	5	120 x 120	774.5 x 291.5 x 60	670(+5/-5) x 187(+5/-5)	13.2	5GH0000012899
GH 4x6 AISI316	6	120 x 120	905 x 291.5 x 60	800(+5/-5) x 187(+5/-5)	15.7	105948
GH 4+4x1 AISI316	2	120 x 120	252.5 x 461 x 60	148(+5/-5) x 358(+5/-5)	7	115063
GH 4+4x2 AISI316	4	120 x 120	383 x 463 x 60	278(+5/-5) x 358(+5/-5)	10.4	115064
GH 4+4x3 AISI316	6	120 x 120	513.5 x 463 x 60	409(+5/-5) x 358(+5/-5)	14.5	5GH0000011312
GH 4+4x4 AISI316	8	120 x 120	644 x 463 x 60	539(+5/-5) x 358(+5/-5)	18	5GH0000009289

19/04/2022, 09:18

Product	Frame openings	Packing space (mm)	External dimensions WxHxD (mm)	Aperture dimensions WxH (mm)	Weight (kg)	Art. No
GH 4+4x5 AISI316	10	120 x 120	774.5 x 463 x 60	670(+5/-5) x 358(+5/-5)	22	115065
GH 4+4x6 AISI316	12	120 x 120	905 x 463 x 60	800(+5/-5) x 358(+5/-5)	25.8	115066
GH 6x1 AISI316	1	120 x 180	252.5 x 350 x 60	148(+5/-5) x 245(+5/-5)	4.9	5GH0000008261
GH 6x2 AISI316	2	120 x 180	383 x 350 x 60	278(+5/-5) x 245(+5/-5)	7.3	5GH0000008179
GH 6x3 AISI316	3	120 x 180	513.5 x 350 x 60	409(+5/-5) x 245(+5/-5)	10.1	5GH0000009292
GH 6x4 AISI316	4	120 x 180	644 x 350 x 60	539(+5/-5) x 245(+5/-5)	12.6	5GH0000007904
GH 6x5 AISI316	5	120 x 180	774.5 x 350 x 60	670(+5/-5) x 245(+5/-5)	15.3	5GH0000008176
GH 6x6 AISI316	6	120 x 180	905 x 350 x 60	800(+5/-5) x 245(+5/-5)	19.8	115095
GH 6+6x1 AISI316	2	120 x 180	252.5 x 578 x 60	148(+5/-5) x 475(+5/-5)	8.1	5GH0000011313
GH 6+6x2 AISI316	4	120 x 180	383 x 580 x 60	278(+5/-5) x 475(+5/-5)	12.7	5GH0000013151
GH 6+6x3 AISI316	6	120 x 180	513.5 x 580 x 60	409(+5/-5) x 475(+5/-5)	16.5	5GH0000009048
GH 6+6x4 AISI316	8	120 x 180	644 x 580 x 60	539(+5/-5) x 475(+5/-5)	21	115105
GH 6+6x5 AISI316	10	120 x 180	774.5 x 580 x 60	670(+5/-5) x 475(+5/-5)	26.5	5GH0000008177
GH 6+6+6x1 AISI316	3	120 x 180	252.5 x 806 x 60	148(+5/-5) x 705(+5/-5)	10.9	103813
GH 8x1 AISI316	1	120 x 240	252.5 x 410 x 60	148(+5/-5) x 305(+5/-5)	5.5	5GH0000008395
GH 8x2 AISI316	2	120 x 240	383 x 410 x 60	278(+5/-5) x 305(+5/-5)	8.2	5GH0000008124
GH 8x3 AISI316	3	120 x 240	513.5 x 410 x 60	409(+5/-5) x 305(+5/-5)	12.4	5GH0000009294
GH 8x4 AISI316	4	120 x 240	644 x 410 x 60	539(+5/-5) x 305(+5/-5)	16	5GH0000008380
GH 8x5 AISI316	5	120 x 240	774.5 x 410 x 60	670(+5/-5) x 305(+5/-5)	17	5GH0000008178
GH 8x6 AISI316	6	120 x 240	905 x 410 x 60	800(+5/-5) x 305(+5/-5)	19.4	5GH0000008381
GH 8+8x1 AISI316	2	120 x 240	252.5 x 698 x 60	148(+5/-5) x 595(+5/-5)	9.6	5GH0000011001
GH 8+8x4 AISI316	8	120 x 240	644 x 700 x 60	539(+5/-5) x 595(+5/-5)	24	5GH0000009296
GH 8+8x5 AISI316	10	120 x 240	774.5 x 700 x 60	670(+5/-5) x 595(+5/-5)	29	5GH0000009295



SCATTERGOOD & JOHNSON LTD

ELECTRICAL ENGINEERING & FLUID CONTROL DISTRIBUTORS


At Scattergood & Johnson Ltd, we pride ourselves on being a technical distributor to specialist industries.

Working with a range of quality product manufacturers across a number of specialist markets, we are not your average 'box shifter' - we are your technical and supply chain partner.

We fully support every product we sell - for free! Our internal team and external sales engineers can answer any product or application question, no matter the complexity.

Backing up this technical ability is a range of 50,000+ products available from stock for nationwide next day delivery (same day if required!), or you can collect what you need from any of our trade counters around the UK.

Select your specialist interest below to learn more about how we can help.



Online, In Branch and On the Road - Scattergood & Johnson Ltd, there when you need us.

www.scatts.co.uk